

Banner

January 1, 1998


Fraser
Basin
Snow

[Fraser Basin Snow Survey Measurements](#)

UPPER FRASER AND NECHAKO

The cumulative precipitation from September through December is close to normal but varied on a month-to-month basis with October having about 40% above normal while December was about the same amount below normal. Temperatures in the period September through November were within 2 degrees of normal while December's temperatures were about 6 degrees above normal.


The snowpack is generally below normal in the areas to the east of Prince George and close to normal in the Stuart River basin. In the Nechako basin, the record of January 1st measurements is relatively short, but the snowpack is a little higher than the average of the past five years and similar to that reported at this date in 1996.



[Data Graphs](#)

MIDDLE AND LOWER FRASER

In the middle and lower Fraser basins precipitation was above normal in September and October and below normal in November and December. In the middle Fraser basin, this has resulted in a snowpack that is generally well below normal with the regional snowpack estimated to be 17% below normal for this date. In the lower Fraser there are several stations that could not be measured due to adverse weather conditions, but the regional snowpack is estimated to be about 8% below normal.




[Data Graphs](#)

NORTH AND SOUTH THOMPSON

Valley bottom precipitation throughout the Thompson River basin was well above normal in September and October, but below normal in November and December. Temperatures have generally been above normal, with the biggest departure in December when the mean temperature was about 3 degrees above normal.

The regional snowpack in the North Thompson basin is estimated to be about 6% above normal for this time of year, but less than it was a year ago. In the South Thompson, the snowpack is considerably less than was reported this time last year and is estimated to be about 15% below normal.



[Data Graphs](#)

[Bulletin Home Page](#)

[Groundwater Conditions](#)

[Snow Pillow Information](#)



[TOP OF PAGE](#)

[Search](#)

[Program Home](#)

[Ministry Home](#)

[BC Government](#)

[Information Disclaimer and Copyright Notice](#)



Banner

January 1, 1998

Snow Survey
Measurements


[Coastal Basin Snow Survey Measurements](#)

SOUTH COASTAL AND VANCOUVER ISLAND

Precipitation in the south coast area was well above normal in September and October, below normal in November and well below normal in December. The pattern on Vancouver Island was similar except that the December precipitation was a little above normal. Temperatures have generally been a little above normal each month.

As is common at this time of year, snowpacks are somewhat variable. The regional snowpacks are estimated to be 27% and 14% below normal for the south coast and Vancouver Island areas, respectively.

Inflow to Upper Campbell Lake on Vancouver Island, an indicator of winter flows, has been well above normal for the last two months.



[Data Graphs](#)

[Bulletin Home Page](#)

[Groundwater Conditions](#)

[Snow Pillow Information](#)



[\[Top of Page\]](#)

[\[Search this Site\]](#)

[\[Program Home\]](#)

[\[Ministry Home\]](#)

[\[BC Government](#)

[Information Disclaimer and Copyright Notice](#)

BC Government Logo

Banner

January 1, 1998

Columbia
Basin Snow
Survey

[Columbia Basin Snow Survey Measurements](#)

UPPER AND LOWER COLUMBIA

Precipitation in the Columbia River basin was almost 2.5 times normal in September, decreasing each month to only 47% of normal in December. Temperatures were generally close to, or a little above, normal.

It was not possible to measure many of the snowcourses normally sampled at this date in the upper Columbia due to inclement weather conditions. However, based on the measurements that were obtained, it is estimated that the snowpack in the Columbia basin is about 11% below normal.


Data
Graphs

[Data Graph](#)

EAST AND WEST KOOTENAY

Temperature and precipitation patterns throughout the Kootenay basin were very similar to those reported above for the Columbia River basin.

Although there were a significant number of snow courses that were not measured due to inclement weather conditions, those that were sampled indicate that the snowpack as of January 1 was about 39% below normal. It is interesting to note that at this time last year the Kootenay snowpack was estimated to be 38% above normal.




[Data Graphs](#)

OKANAGAN, SIMILKAMEEN AND KETTLE

Valley bottom precipitation throughout this region was well above normal in both September and October, but well below normal in both November and December. Temperatures were near normal for September through November, but about 3 degrees above normal for December.

As a result of these weather patterns, the regional snowpack is estimated to be 40% below normal for this sampling period. Again, it is interesting to note that, at this time last year, the snowpack was more than 60% above normal!

Inflow to Okanagan Lake has been above normal each month for the last 30 months. The net inflow during 1997 at about 1.4 billion cubic metres was 40% greater than recorded previously in the 76-year record. Despite this, the present level of Okanagan lake is very close to its target level. It is still too soon to make estimates of the probable inflow to the lake in the spring.



[Data Graphs](#)

[Bulletin Home Page](#)

[Groundwater Conditions](#)

[Snow Pillow Information](#)



[\[Top of Page\]](#)

[\[Search this Site\]](#)

[Program Home](#)

[Ministry Home](#)

[BC Government](#)

[Information Disclaimer and Copyright Notice](#)



Banner

January 1, 1998

Snow
Survey
Measurement


[Northern Basins Snow Survey Measurements](#)

NORTHEASTERN

In the Peace River basin, precipitation was well above normal in September and October, but was well below normal in November and December. In the Liard basin, for which there are few precipitation stations, the pattern was similar except that September precipitation was normal. Temperatures varied from 3 degrees below normal in October to seven degrees above normal in December.

As is quite usual at this time of year, there is considerable variation in snowpack throughout the region. However, the regional snowpacks for the Peace and Liard basins are estimated to be 17% above and 34% below normal, respectively for this date.

Flows into Williston Lake on the Peace River have been well above normal for the last two months.




[Data Graphs](#)

NORTHWESTERN

The northwestern region has had a different precipitation regime from most of the rest of the province. Valley-bottom precipitation was well below normal in the September through November period, but almost twice normal in December. Temperatures were close to normal in September and October, but 3 and 8 degrees above normal for November and December, respectively.

The January 1 snowpack, based on limited readings, is estimated to be about 7% above normal in the Skeena/Nass basins. In the Stikine basin, no normals are available, but the snowpack is estimated to be about 40% greater than was reported at this time last year.

Flows in the Skeena River at Usk were close to normal in November and about 20% above normal in December.



[Data Graphs](#)

[Bulletin Home Page](#)

[Groundwater Conditions](#)

[Snow Pillow Information](#)



[TOP OF PAGE](#)

[Search](#)

[Program Home](#)

[Ministry Home](#)

[BC Government](#)

[Information Disclaimer and Copyright Notice](#)



FRASER

January 1, 1998

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					1998	1997	1996	Max.	Min.	Normal	
UPPER FRASER											
PRINCE GEORGE A	1A10	690	05	16	25	83	98	156	19	69	35
PACIFIC LAKE	1A11	770	27	119	268	464	356	476	177	306*	14
BURNS LAKE	1A16	800	06	32	60	176	130	176	26	69	23
PHILIP LAKE	4A13	980	03	56	116	234	230	268	64	120	15
HEDRICK LAKE	1A14	1100	27	136	294	453	-	640	300A	419*	7
KAZA LAKE	1A12	1190	03	82	175	194	263	371	113	183*	12
MOUNT SHEBA	4A18	1490	27	154	385	588	573	793	287	500*	9
BARKERVILLE	1A03	1520	01	65	150	238	176	340	92	173	27
BARKERVILLE	1A03P	1520	01	-	143	184	-	312	103	179	17
KNUDSEN LAKE	1A15	1580	27	152	391	369	503	821	341	476*	9
REVOLUTION CREEK	1A17P	1690	01	-	412	311	475	814	240	452	13
LONGWORTH (UPPER)	1A05	1740	27	138	340	476	486	694	304	472*	8
YELLOWHEAD	1A01P	1860	01	99	300	236	-	236	236	236*	1
NECHAKO											
SKINS LAKE	1B05	880	30	15	31	-	111	111	0	55*	12
TAHTSA LAKE	1B02P	1300	01	-	783	631	738	939	475	662*	5
MOUNT PONDOSY	1B08P	1400	01	-	530	506	552	686	283	472*	5
MOUNT WELLS	1B01P	1490	01	-	326	433	347	433	241	310	5

MIDDLE FRASER											
PUNTZI MOUNTAIN	1C22	940	01	8	12	44	60	106	0	40	25
NAZKO	1C08	1070	01	10	13	74	84	84	17	39	12
BIG CREEK	1C21	1140	30	5	11	35	51	62	16	44	11
GRANITE MOUNTAIN	1C33	1150	05	25	43	153	158	158	76	127*	5
LAC LE JEUNE (LOWER)	1C07	1370	30	16	27	123	31	123	8	66	25
BRIDGE GLACIER (LOWER)	1C39	1400	07	119	344	204	340	456	204	333*	3
BRALORNE	1C14	1450	07	37	82	70	89	158	70	106*	3
BOSS MOUNTAIN MINE	1C20P	1460	01	-	236	394	461	461	302	323	4
LAC LE JEUNE (UPPER)	1C25	1460	30	28	33	146	45	146	10	81	25
BRENDA MINE	2F18P	1460	01	-	118	304	254	304	120	195	4
BARKERVILLE	1A03	1520	01	65	150	238	176	340	92	173	27
BARKERVILLE	1A03P	1520	01	-	143	184	-	312	103	179	17
FISH LAKE	1C35	1540	27	17	26	39	71	120	39	77*	3
FISH LAKE NO. 2	1C35A	1550	27	18	30	38	-	38	38	38*	1
GREEN MOUNTAIN	1C12	1630	07	175	485	199	364	528	110	315	11
MOUNT TIMOTHY	1C17	1660	27	23	38	193	223	251	89	149	12
YANKS PEAK EAST	1C41P	1670	01	168	491	473	-	473	473	473*	1
GREEN MOUNTAIN	1C12P	1780	01	-	454	405	518	707	312	486*	4
MCGILLIVRAY PASS	1C05	1800	07	129	331	235	313	458	196	283*	5
MISSION RIDGE	1C18P	1850	01	-	244	259	293	659	148	270	11
DOWNTON LAKE (UPPER)	1C38	1890	07	178	504	294	588	672	294	518*	3
TYAUGHTON CREEK (NORTH)	1C40	1950	07	101	248	216	256	364	216	279*	3

BRALORNE (UPPER)	1C37	1980	07	129	370	195	388	504	195	362*	3
LOWER FRASER											
WOLVERINE CREEK	1D13	300	01	12	30	193	88	193	0	93	21
DISAPPOINTMENT LAKE	1D18P	1040	Not Measured			487	-	1304	487	896*	2
CALLAGHAN CREEK	3A20	1040	03	138	370	426Z	170	638	100	298*	10
DICKSON LAKE	1D16	1070	Not Available			1006	360	1110	360	745*	5
DOG MOUNTAIN	3A10	1080	30	115	324	807	-	897	96	561	11
KLESILKWA	3D03A	1130	Not Available			386	31	386	0	120*	8
STAVE LAKE	1D08	1210	Not Available			878	367	892	112	554*	8
WAHLEACH LAKE	1D09	1400	Not Available			392	143	392	46	222*	11
WAHLEACH LAKE	1D09P	1400	01	-	463	774	259	774	259	536*	5
NAHATLATCH RIVER	1D10	1520	Not Available			752	537	903	219	544*	8
EASY PASS	WA13	1580	Not Available			-	381	1651	229	731*	19
CHILLIWACK RIVER	1D17P	1600	01	117	477	1076	454	1076	454	744	5
GREAT BEAR	1D15P	1660	01	-	719	954	860	954	446	651	6
TENQUILLE LAKE	1D06	1680	04	174	540	658	655	875	205	522	20
NORTH THOMPSON											
BLUE RIVER	1E01B	670	06	81	120	232	263	263	69	161*	13
COOK FORKS	1E06	1390	31	162	368	474	495	630	216	406	18
BOSS MOUNTAIN MINE	1C20P	1460	01	-	236	394	461	461	302	323	4
MOUNT COOK	1E02A	1580	31	221	583	694E	803	803	400	582	18
AZURE RIVER	1E08P	1620	01	214	683	540	-	540	540	540*	1
ADAMS RIVER	1E07	1720	29	106	251	397	414	475	205	288	12
KOSTAL LAKE	1E10P	1770	01	-	438	493	590	590	303	437	13
SOUTH THOMPSON											
MONASHEE PASS	2E01	1370	03	61	110	-	195	239	84	162	18

ADAMS RIVER	1E07	1720	29	106	251	397	414	475	205	288	12
KIRBYVILLE LAKE	2A25	1750	Not Measured			715	854	854	389	565	15
SILVER STAR MOUNTAIN	2F10	1840	01	96	244	565	516	565	163	339	33
PARK MOUNTAIN	1F03P	1890	01	-	316	608	601	632	281	410	12
ENDERBY	1F04	1900	31	156	400	646	684	742	292	476	22

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

COLUMBIA

January 1, 1998

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					1998	1997	1996	Max.	Min.	Normal	
UPPER COLUMBIA											
DOWNIE SLIDE (LOWER)	2A27	980	Not Measured		484	446	504	190	320	15	
GLACIER	2A02	1250	02	149	321	279	434	519	147	331	27
FIELD	2A03A	1280	Not Measured		-	127	127	40	86*	8	
VERMONT CREEK	2A19	1520	Not Measured		283	298	309	120	221	14	
AZURE RIVER	1E08P	1620	01	214	683	540	-	540	540	540*	1
DOWNIE SLIDE (UPPER)	2A29	1630	Not Measured		772	1022	1022	402	575	13	
KICKING HORSE	2A07	1650	Not Measured		-	199	257	87	169	20	
KIRBYVILLE LAKE	2A25	1750	Not Measured		715	854	854	389	565	15	
MOUNT REVELSTOKE	2A06P	1830	01	-	558	647	835	835	383	571	5
FIDELITY MOUNTAIN	2A17	1870	30	222	625	510	938	1228	334	610	23
BEAVERFOOT	2A11	1890	07	47	110	-	151	215	70	118	13
KEYSTONE CREEK	2A18	1890	Not Measured		527	540	577	266	376	14	
GOLDSTREAM	2A16	1920	Not Measured		595	852	906	427	579	14	

BUSH RIVER	2A23	1920	07	156	420	416	623	722	216	416	14
MOUNT ABBOT	2A14	1980	03	223	590	504	864	1065	350	575	13
MOLSON CREEK	2A21P	1980	01	-	589	427	746	1072	318	565	17
SUNBEAM LAKE	2A22	2010	07	158	430	484	656	767	305	479	14
LOWER COLUMBIA											
FERGUSON	2D02	880	30	100	180	-	409	409	117	263	18
FARRON	2B02A	1220	29	29	40	330	180	330	46	177	13
MONASHEE PASS	2E01	1370	03	61	110	-	195	239	84	162	18
WHATSHAN (UPPER)	2B05	1480	03	117	274	-	349	543	207	316	14
BARNES CREEK	2B06	1620	03	88	191	-	332	363	146	240	13
BARNES CREEK	2B06P	1620	01	-	199	409	364	409	257	326*	5
ST. LEON CREEK	2B08	1800	03	225	608	-	818	1164	397	620	11
ST. LEON CREEK	2B08P	1800	Not Measured			626	-	637	368	569	4
KOCH CREEK	2B07	1860	Not Measured			-	410	452	170	329	11
RECORD MOUNTAIN	2B09	1890	27	65	150	504	305	504	134	401	13
EAST CREEK	2D08P	2030	01	-	304	382	737	858	219	476	16
EAST KOOTENAY											
FERNIE EAST	2C07	1250	29	22	52	222	-	330	28	166	22
MARBLE CANYON	2C05	1520	31	65	128	247	277	300	84	176	23
SULLIVAN MINE	2C04	1550	30	17	29	226	189	226	35	134*	12
WEASEL DIVIDE	MT02	1660	02	107	246	-	411	691	218	402*	12
MOUNT JOFFRE	2C16	1750	Not Measured			299	249	364	86	155	14

MORRISSEY RIDGE	2C09Q	1800	01	-	199	517	351	706	157	322	14
MOYIE MOUNTAIN	2C10P	1930	01	35	128	-	-	354	76	175*	18
MOYIE MOUNTAIN	2C10	1940	31	34	70	-	185	366P	76P	204	23
THUNDER CREEK	2C17	2010	Not Measured			237	174	276	65	117	14
FLOE LAKE	2C14	2090	Not Measured			-	566	747	217	383	13
FLOE LAKE	2C14P	2090	01	-	255	394	502	502	187	332	3
HIGHWOOD SUMMIT (BUSH)	AL02	2210	Not Available			272	325	399	97	225*	9
MOUNT ASSINIBOINE	2C15	2230	Not Measured			325	437	567	162	248	14
SUNSHINE VILLAGE	AL05	2230	01	-	198P	-	-	251P	193	222*	2
WEST KOOTENAY											
FERGUSON	2D02	880	30	100	180	-	409	409	117	263	18
NELSON	2D04	930	31	43	100	366	164	366	66	173	38
CHAR CREEK	2D06	1310	30	46	119A	480	224	480	110	239	14
GRAY CREEK (LOWER)	2D05	1550	Not Measured			-	-	372	69	185	19
KOCH CREEK	2B07	1860	Not Measured			-	410	452	170	329	11
MOUNT TEMPLEMAN	2D09	1860	Not Measured			-	829	902	347	504	11
GRAY CREEK (UPPER)	2D10	1910	Not Measured			-	-	612	222	380	11
EAST CREEK	2D08P	2030	01	-	304	382	737	858	219	476	16
KETTLE											
FARRON	2B02A	1220	29	29	40	330	180	330	46	177	13
MONASHEE PASS	2E01	1370	03	61	110	-	195	239	84	162	18
BIG WHITE MOUNTAIN	2E03	1680	01	70	160	326	298	326	112	198	14

GRANO CREEK	2E07P	1860	01	64	154	-	-	-	-	-	0
OKANAGAN											
SUMMERLAND RESERVOIR	2F02	1280	02	41	63	183	132	198	46	111	34
BRENDA MINE	2F18P	1460	01	-	118	304	254	304	120	195	4
GREYBACK RESERVOIR	2F08	1550	30	34	56	179	148	181	56	112	15
ISINTOK LAKE	2F11	1680	02	25	41	131	93	196	16	84	32
MISSION CREEK	2F05P	1780	01	62	146	325	248	326	104	201	27
MOUNT KOBAN	2F12	1810	30	31	63	261	161	261	28	157	21
WHITEROCKS MOUNTAIN	2F09	1830	Not Available			396	270	447	122	272	20
SILVER STAR MOUNTAIN	2F10	1840	01	96	244	565	516	565	163	339	33
SIMILKAMEEN											
HAMILTON HILL	2G06	1490	07	83	127A	299	201	313	55	139	13
MISSEZULA MOUNTAIN	2G05	1550	02	44	66	197	138	197	83	144*	5
ISINTOK LAKE	2F11	1680	02	25	41	131	93	196	16	84	32
BLACKWALL PEAK	2G03P	1940	01	-	293	611	454	923	108	391	28
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

COASTAL

January 1, 1998

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					1998	1997	1996	Max.	Min.	Normal	
SOUTH COASTAL											
PALISADE LAKE	3A09P	880	01	-	337	-	-	785	785	785*	1
CALLAGHAN CREEK	3A20	1040	03	138	370	426Z	170	638	100	298*	10
DOG MOUNTAIN	3A10	1080	30	115	324	807	-	897	96	561	11
GROUSE MOUNTAIN	3A01	1100	30	128	416	866	252	878	24	428	17
ORCHID LAKE	3A19	1190	02	181	580	-	432	1214	202	801	17
ORCHID LAKE	3A19P	1190	01	-	435	-	427	1285	243	764*	13
UPPER SQUAMISH RIVER	3A25P	1340	01	-	630	818	608	1072	503	723	6
NOSTETUKO RIVER	3A22P	1500	01	-	259	207	320	524	32	258*	8
UPPER MOSELY CREEK	3A24P	1650	01	-	137	128	186	491	85	182	9
VANCOUVER ISLAND											
ELK RIVER	3B04	270	02	No Snow	159	0	264	0	99*	13	

WOLF RIVER (LOWER)	3B19	640	02	33	86	306	0	326	0	127*	9
WOLF RIVER (MIDDLE)	3B18	1070	02	77	228	402	126	590	0	225*	9
FORBIDDEN PLATEAU	3B01	1130	02	171	504	-	364	1287	0	587	15
JUMP CREEK	3B23P	1160	01	58	251	806	244	806	244	525*	2
WOLF RIVER (UPPER)	3B17P	1490	01	-	561	597	366	1057	150	531	9
NORTH COASTAL											
TAHTSA LAKE	1B02P	1300	01	-	783	631	738	939	475	662*	5
BURNT BRIDGE CREEK	3C08P	1330	01	-	600	-	-	-	-	-	0
SKAGIT											
KLESILKWA	3D03A	1130	Not Available			386	31	386	0	120*	8
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

NORTH

January 1, 1998

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					1998	1997	1996	Max.	Min.	Normal	
PEACE											
FORT ST. JOHN A	4A25	690	28	11	14	104	96	134	17	56	23
MACKENZIE A	4A19	700	31	51	88	136	162	283	51	97	25
PACIFIC LAKE	1A11	770	27	119	268	464	356	476	177	306*	14
BULLHEAD MOUNTAIN	4A28	790	30	No Snow	108	93	111	0	56*	14	
PHILIP LAKE	4A13	980	03	56	116	234	230	268	64	120	15
WARE (LOWER)	4A04	980	04	38	80	117	173	240	63	126*	7
AIKEN LAKE	4A30P	1040	01	-	232	128	165	262	86	141*	10
TUTIZZI LAKE	4A06	1070	03	55	99	147	187	187	85	140*	7
TSAYDAYCHI LAKE	4A12	1160	03	92	208	282	300	393	128	186	14
KAZA LAKE	1A12	1190	03	82	175	194	263	371	113	183*	12
PULPIT LAKE	4A09	1310	04	100	217	219	291	398	182	264*	9
FREDRICKSON LAKE	4A10	1310	03	56	103	108	182	250	107	154*	8
PULPIT LAKE	4A09P	1310	01	-	307	204	308	344	204	272*	6
PINE PASS	4A02P	1400	01	-	762	548	570	1016	509	566	8
TRYGVE LAKE	4A11	1400	03	93	208	160	242	299	126	188	12
SIKANNI LAKE	4C01	1400	04	68	142	124	171	257	65	138	14

PINE PASS	4A02	1430	06	284	843	-	-	988	314	549	16
MORFEE MOUNTAIN	4A16	1450	05	182	536	-	-	710	373	596*	3
LADY LAURIER LAKE	4A07	1460	05	121	315	216	334	472	154	249	14
MOUNT SHEBA	4A18	1490	27	154	385	588	573	793	287	500*	9
GERMANSEN (UPPER)	4A05	1500	03	81	162	228	256	364	99	179	15
MOUNT STEARNS	4A21	1500	04	46	94	91	133	151	45	97*	8
JOHANSON LAKE	4B02	1540	03	87	207	137	230	282	90	148	15
MONKMAN CREEK	4A20	1550	27	80	192	-	-	546	221	306*	7
WARE (UPPER)	4A03	1570	04	75	181	143	248	248	97	168*	8
BULLMOOSE CREEK	4A31	1570	07	101	235	266	374	493	94	282*	10
KWADACHA RIVER	4A27	1620	Not Measured			-	-	330	160	244*	7
KWADACHA RIVER	4A27P	1620	Not Measured			160	198	307	109	171	12
SKEENA/NASS											
TERRACE A	4B13A	180	31	14	22	162	-	162	0	71*	15
KAZA LAKE	1A12	1190	03	82	175	194	263	371	113	183*	12
LU LAKE	4B15P	1310	01	-	116	-	-	-	-	-	0
TSAI CREEK	4B17P	1360	01	-	581	-	-	-	-	-	0
TRYGVE LAKE	4A11	1400	03	93	208	160	242	299	126	188	12
HUDSON BAY MTN.	4B03A	1480	06	106	274	394	336	470	135	254	22
SHEDIN CREEK	4B16P	1480	01	-	503	405	400	405	400	403*	2
JOHANSON LAKE	4B02	1540	03	87	207	137	230	282	90	148	15
LIARD											

FORT NELSON A	4C05	380	29	16	27	59	101	112	20	59*	31
DEASE LAKE	4C03	820	31	32	43	-	68	150	20	70	31
BLUFF CREEK	4C11P	1040	Not Measured			-	158	158	85	136	4
DEADWOOD RIVER	4C09P	1300	01	-	34	58	76	211	58	108*	4
SIKANNI LAKE	4C01	1400	04	68	142	124	171	257	65	138	14

**STIKINE/
TAKU**

FORREST- KERR CREEK	4D08P	560	Not Measured			198	317	655	198	374*	7
DEASE LAKE	4C03	820	31	32	43	-	68	150	20	70	31
KINASKAN LAKE	4D11P	1020	01	-	207	107	168	378	107	207*	7
TUMEKA CREEK	4D10P	1220	01	-	354	-	329	591	314	341	6
WADE LAKE	4D14P	1370	01	-	201	-	250	344	125	240	6
UPPER STIKINE	4D13P	1450	01	-	287	189	268	433	183	289*	8

YUKON

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE