

Contents

- [Province-Wide Synopsis](#)

[New Basin Snow Water Index Map](#)

Basin Data and Graphs


- [Volume Runoff Forecasts](#)
- [Upper Fraser](#)
- [Mid and Lower](#)
- [Fraser](#)
- [Thompson](#)
- [Columbia](#)
- [Kootenay](#)
- [Okanagan, Kettle, and Similkameen](#)
- [Coastal](#)
- [North East](#)
- [North West](#)
- [Groundwater](#)
- [2006 Survey schedule](#)
- [2006 Snow Survey network](#)

Snowpack and Water Supply Outlook for British Columbia

April 1, 2006

Every effort is made to ensure that data reported on these pages are accurate. However, in order to update the graphs and indices as quickly as possible, some data may have been estimated. Please note that data provided on these pages are preliminary and subject to revision on review.

Province-wide Synopsis



[BC Summary Graphs of Snow Water Equivalents](#)

The April 1 snow survey is now complete. Data from 165 snow courses and 59 snow pillows around the province, with 28 out of province sampling locations and climate data from Environment Canada, have been used to form the basis for the following report.

The Apr 1st Snow Survey Bulletin contains [Volume Runoff Forecasts](#).

Snowpack

Following the very heavy snowfall in January throughout south and central BC, February and March brought near normal to slightly below normal snow accumulations. Overall snow water conditions as of April 1st in central and southern BC are:

- Well above normal across Vancouver Island (115%) and the South Coast (110%);
- Above normal in the Okanagan and Kettle (110%);
- Near normal in the South Thompson (95%) but below normal in the North Thompson (87%);
- Slightly below normal in the Columbia (89%) and Kootenay (94%), except southern portions of the Kootenay, which are above normal;
- Below normal in the Similkameen (86%) and Nicola/Coldwater (80%) basins.

Northern BC remains with below normal snowpacks. The Upper Fraser basin is well below normal (72%). The Peace River basin is currently 84% of normal and the Skeena is 82%. Both of these are increases from their February

1st values.

Weather

Precipitation across BC was variable during March, but was generally below monthly averages, with a few exceptions. Vancouver Island and the South Coast received slightly greater than normal precipitation, and the Peace River area received slightly greater than normal precipitation. In these areas the precipitation is reflected in greater than normal snow accumulation. The upper Fraser River, Thompson River, Kootenay and Columbia regions experienced below normal precipitation, which is reflected in below average snow accumulation for the month. Temperatures across southern BC were near normal for the month, but northern BC experienced below normal temperatures.

Outlook

By April 1, on average, greater than 95% of the peak snowpack for the year has accumulated. There is little winter season left for additional snow accumulation, and the conditions defined by the April 1 snow survey largely reflect the flood potential for the spring and the water supply potential for the summer.


Snow conditions in central, southern and coastal BC are near normal or above normal. There are no water supply concerns for the Okanagan, Kootenay, Similkameen and Thompson basins, or for Vancouver Island and the South Coast. Spring and early summer stream flow runoff is forecast to be above normal on Vancouver Island and the South Coast, near normal in the Okanagan and Kettle basins, slightly below normal in the Thompson, Columbia, and Kootenay regions, and about 80% of normal in the Similkameen basin.

For northern BC, spring and early summer runoff is forecast to be only 70-85% of normal (upper Fraser, Peace, Skeena basins).

Most major rivers in the province will experience their snowmelt-generated peak discharge in late May or early June. Based on current snow conditions, the River Forecast Centre is forecasting below average peak flows throughout the upper, middle and lower Fraser River, and a slightly below average peak flow on the Thompson River. Rivers in the Kootenays and Okanagan have the potential to experience average or above average peak flows during snowmelt. In particular, the Elk River in the East Kootenay has the potential for a well above average peak flow. Whether or not high flows occur depends on how much additional snow accumulates for the remainder of April, and the weather conditions during spring melt in May and June.

[• Top](#)

Upper Fraser & Nechako Basins



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)

April 1


The snow water equivalent index for the Upper Fraser is 72% of normal for April 1, decreasing slightly from 75% of normal at March 1. Prince George received 72% of normal precipitation during March, and only 66% of normal precipitation during the November to March period. Low elevation snow is generally <65% of normal, while mid and high elevation snow is 60-80% of normal.

The Nechako Snow Index is 82% of normal, declining from 93% at February 1 and 87% at March 1. Individual readings range from a low of 61% at Mount Swannell (1B06) to a high of 97% of Mount Pondosy (1B08P). Western portions of the Nechako have better developed snow conditions (generally 80-95% of normal) than eastern portions (60-80%).

Regional streamflows were below normal for March as indicated by the mean monthly flow in the Fraser River at Marguerite, which had 84% of normal March runoff.

[Top](#)

Middle and Lower Fraser



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)

April 1


Snow accumulation across the Middle Fraser was variable during March, with a few snow courses receiving greater than normal snow accumulations for the month, but others receiving well below normal accumulations. Overall, the Middle Fraser has an April 1 snow water index of 84% of normal, declining from its February 1 level of 90% and its March 1 level of 88%. The Chilcotin Plateau area appears to have well below normal snow conditions, with Puntzi Mountain (1C22) at 39% of normal and Big Creek (1C21) at only 13%. Snow courses in southern portions of the Middle Fraser are in the 80-100% of normal range.

Following very heavy snowfall in January, the Lower Fraser experienced slightly below normal snow accumulation during February and March. The April 1 index is 97% of normal, declining from the February 1 level of 114%

and the March 1 level of 99%. A number of snow courses and snow pillows in the Lower Fraser established new records for January snow accumulation, and remain well above normal at April 1. The Chilliwack River snow pillow (1D17P) is at 118% of normal (declining from 132% at March 1); Dog Mountain (3A10) is at 124% (increasing slightly from 121% at March 1); and Dickson Lake (1D16) is at 118% (increasing slightly from 113% at March 1).

[• Top](#)

Thompson Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


April 1

Snow water conditions for the Thompson River basin were near normal at February 1, but have fallen significantly as of April 1. The North Thompson snow water index is 87% of normal, a significant decrease from 102% at February 1 and 96% at March 1. The South Thompson snow water index is 95%, declining from its Feb 1 level of 104% and its March 1 level of 97%. Low elevation snow appears to be below normal for the date, whereas mid and high elevation snow is generally in the 85-90% of normal range. In the North Thompson, the Azure River snow pillow (1E08P) is 91%, and the Kostal Lake snow pillow (1E10P) is 88%. In the South Thompson, the Park Mountain snow pillow (1F03P) is 94% (unchanged from March 1). The Brookmere snow course (1C01) in the Nicola basin is 99% of normal, and Lac Le Jeune (upper) (1C25) is 127%.

Streamflows in the region were near normal during March, as indicated by the mean monthly flows in the Thompson River at Spences Bridge.

[• Top](#)

Columbia Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

April 1


The mid to upper elevation snow water index for the Upper and Lower Columbia has fallen to 89% of normal at April 1, from 94% at March 1 and 98% at Feb 1. In the Upper Columbia, mid and high elevation snow appears to be 75-90% of normal, with the highest recorded snow water equivalence of 100% at Molson Creek (2A21P). Snow is somewhat better developed in the

Lower Columbia, with mid and high elevation snow in the 85-110% of normal range. The highest snow water equivalence measured is 115% at Farron (2B02A) and 114% at Koch Creek (2B07).

Streamflows in the region, as represented by the mean monthly flow in the Columbia River at Donald, were normal during February.

[• Top](#)

Kootenay Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


April 1

Following a very snowy January, the Kootenays received near normal or slightly below normal precipitation during February and March. The Kootenay snow water index has fallen from 102% of normal at Feb 1 to 94% of normal at April 1. Southern portions of the Kootenays have near normal or above normal snow. The Moyie Mtn snow pillow (2C10P), located south of Cranbrook, is currently at 120% of normal snow water equivalence, and the Fernie East snow course (2C07) is at 100%. In the West Kootenay, the East Creek snow pillow (2D08P) is currently at 101% of normal and the Char Creek snow course (2D06) is 118%, both declining slightly from their March 1 levels. In general, mid and high elevation areas appear to be in the 85-120% of normal range in the West Kootenay, and 75-105% in the East Kootenay.

Streamflows, as indicated by the mean monthly flows in the Kootenay River at Fort Steele, were slightly above normal during March.

[• Top](#)

Okanagan, Kettle, and Similkameen Basins



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

April 1


The overall April 1 snow water index for the Okanagan-Kettle is 110% of normal, almost unchanged from its March 1 level. Measurements at individual snow courses in the Okanagan are generally in the 95-120% range, with a high of 136% at Mount Kobau (2F12) and 117% at MacDonald Lake (2F23). Trout Creek (2F01) is 109% of normal, a significant increase from its March 1 level

of 86%, and Silver Star Mountain (2F10) is 109%. The Mission Creek (2F05P) and Brenda Mine (2F18P) snow pillows are at 102% and 100%, respectively. The snowpack appears to be well developed across the full extent of the Okanagan valley, and is the best snow water condition recorded in the valley since 2002. Spring and summer water supply and stream flow in the Okanagan is forecast to be normal or above normal.

Precipitation at Princeton, in the Similkameen basin, was below normal for March, and was less than two-thirds of normal for the cumulative November-March period. The overall basin snow water index remains below normal at 86%, a slight increase from its March 1 level. Southern portions of the Similkameen appear to have near normal snow conditions. The Blackwall Peak snow pillow (2G03P) is 88% of normal, and the Lightning Lake snow course (3D02) is 111%. Both of these have decreased from March 1. Northern portions of the Similkameen remain with below normal snow conditions (e.g., Missezula Mtn (2G05) is 75% and Hamilton Hill (2G06) is 68%).

[Top](#)

Vancouver Island & Coastal Regions



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

April 1

Snow packs on the Vancouver Island and Coastal regions are above normal as of April 1. The Vancouver Island average snow water index is 115% of normal, a significant increase from 104% at March 1. The South Coastal index is 110%, a similarly large increase from its March 1 level of 102%.

Precipitation on Vancouver Island and the South Coast was generally near normal during March. On Vancouver Island, the Jump Creek (3B23P) and Wolf River (3B17P) snow pillows are 120% and 116% of normal, respectively.


Snow accumulation throughout the South Coast was above normal during March, following record or near record accumulation in January but subdued accumulation during February. Grouse Mountain (3A01) is currently at 131% of normal, and Dog Mountain (3A10) is at 124% of normal. The Upper Squamish River snow pillow is at 101% of normal. In the lower Fraser valley, the Stave Lake snow course (1D08) and Chilliwack River snow pillow (1D17P) are at 115% and 118% of normal, respectively.

The North Coastal region has normal to slightly below normal snow conditions at April 1, with the Burnt Bridge Creek (3C08P) and Tahtsa Lake (1B02P) snow pillows at 99% and 92% of normal, respectively.

Spring and summer water supply and stream flow on Vancouver Island and throughout the Coastal region is forecast to be normal or above normal.

[Top](#)

North East Region



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

April 1


Precipitation in the Peace River basin was normal for March, but well below normal for the cumulative November-March period (67% at Fort St. John). Most snow courses throughout the Peace River basin had average or greater than average snow accumulation during March. As a result, the Peace Snow Water Index increased to 84% of normal at April 1, from 77% at March 1. Mid and high elevation snow in the Peace varies between 75 and 95% of normal,.

The Liard River basin has received well below normal November-March precipitation. The Liard snow water index for April 1 is only 72% of normal, a slight increase from its March 1 level.

Regional stream flows, as reflected by the mean monthly inflows to Williston Lake, were near normal for March.

[Top](#)

North West Region



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

April 1

The Skeena/Nass basins have an average snow water index of 82% of normal for April 1, while the Stikine/Taku basins have an average index of about 83% of normal. These are near their March 1 levels. In the Skeena, low elevation snow appears to be <60% of normal, while mid and high elevation snow ranges between 70% and 95% of normal.

Precipitation across the Northwest was well below normal in March (58% of normal at Smithers) and well below normal for the November-March period (52%).

Regional stream flows, as reflected by the mean monthly flows in the Skeena River at Usk, were below normal for March.

[•Top](#) [•Copyright](#) [•Disclaimer](#) [•Privacy](#)

[•Feedback](#)



[Go to Upper Fraser Snow Station Map](#)

UPPER and MIDDLE FRASER

April 1, 2006

UPPER FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PRINCE GEORGE A	1A10	690	29	25	65	0	94	313	0	118	44
PACIFIC LAKE	1A11	770	26	114	395	407	564	879	290	628	43
BURNS LAKE	1A16	800	05	23	68	66	72	264	0	129	34
CANOE RIVER	2A01A	910	29	21	65	0	57	262	0	98	65
PHILIP LAKE	4A13	980	27	91	240	214	251	423	176	287	43
HEDRICK LAKE	1A14	1100	26	133	447	598	621	1046	351	688	39
HEDRICK LAKE	1A14P	1100	01	-	604	829	615	964	581	742*	6
BIRD CREEK	1A23	1180	31	37	96	108	90	270	84	139*	16
KAZA LAKE	1A12	1190	27	100	275	408	307	453	226	338	41
LU LAKE	4B15	1300	28	75	196	214	222	484	162	318	29
EQUITY MINE	4B14	1420	28	113	314	314	282	640	258	405	29
MOUNT SHEBA	4A18	1490	26	175	600	812	684	1146	495	825	37
BARKERVILLE	1A03P	1520	01	-	259	315	325A	524	221	387	29
KNUDSEN LAKE	1A15	1580	26	174	621	858	679	1255	485	826	37

MC BRIDE (UPPER)	1A02	1580	27	95	276	447	336	780	225	429	53
MCBRIDE UPPER	1A02P	1620	01	-	-	-	-	-	-	-	0
REVOLUTION CREEK	1A17P	1690	01	-	579	1003	551	1222	453	798	20
LONGWORTH (UPPER)	1A05	1740	26	150	520	762	716	1234A	467	784	50
DOME MOUNTAIN	1A19	1820	27	156	525	743	561	1057	416	761	35
DOME MOUNTAIN	1A19P	1820	01	-	503	-	-	-	-	-	0
MARMOT JASPER	AL12	1830	30	58	134	251	137	422	102	234*	36
YELLOWHEAD	1A01P	1860	01	-	450	589	356	784	349	593	9
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

NECHAKO

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SKINS LAKE	1B05	880	31	25	76	0	64	203	0	111	42
TAHTSA LAKE	1B02	1300	31	252	1034	1046	922	1579	775	1179	53
TAHTSA LAKE	1B02P	1300	01	-	1113	1213	908	1686	860	1212	13
KIDPRICE LAKE	4B01	1370	31	199	767	874	712Z	1247	622	919	52

MOUNT PONDOSY	1B08P	1400	01	-	774	753	597	1094	564	798	14
MOUNT WELLS	1B01	1490	31	120	349	536	306Z	960	273	524	51
NUTLI LAKE	1B07	1490	31	135	427	496	320	724	301	522*	15
MOUNT WELLS	1B01P	1490	01	-	436	655	372	725	344	573	14
MOUNT SWANNELL	1B06	1620	31	76	175	279	197	489	148	288*	17

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	31	3	12	16	0	120C	0	31	36
BROOKMERE	1C01	980	30	69	199	51	131	399	51	201	61
NAZKO	1C08	1070	Not Available			0	0	165B	0	61	47
BIG CREEK	1C21	1140	31	1	2	0T	20	119	0T	16	35
GRANITE MOUNTAIN	1C33	1150	30	47	148	97	172	261	73	181	13
GRANITE MOUNTAIN	1C33A	1150	47	135	-	-	-	-	-	-	0
DUFFY LAKE	1C28	1200	01	129	484	263	484	866	244	507	28
PAVILION	1C06	1230	01	No Snow	0	0	0	147	0	40	49

LAC LE JEUNE (LOWER)	1C07	1370	27	46	125	37	97	251	0	97	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	171	608	356	446	1086	356	599*	11
DEADMAN RIVER	1C32	1430	30	38	100	62	90A	188	30	105	22
BRALORNE	1C14	1450	30	44	141	38	118	389	0	178	43
SHOVELNOSE MOUNTAIN	1C29	1450	27	68	240	70	165A	442	70	260	27
BOSS MOUNTAIN MINE	1C20P	1460	01	-	510	476	566	844	420	615	12
BRENDA MINE	2F18	1460	03	89	304	159	275	531	159	318	37
LAC LE JEUNE (UPPER)	1C25	1460	27	64	172	74	144	228	43	135	33
BRENDA MINE	2F18P	1460	01	-	395	282	317	497	227	394	13
HIGHLAND VALLEY	1C09A	1510	31	36	90	30	96	249	3A	96	40
BARKERVILLE	1A03P	1520	01	-	259	315	325A	524	221	387	29
HORSEFLY MOUNTAIN	1C13A	1550	31	97	362	474	454	716	282	464	36
GNAWED MOUNTAIN	1C19	1580	31	37	86	21	120A	307	21	126	38
MOUNT TIMOTHY	1C17	1660	03	83	248	267	310	533	186	327	43
YANKS PEAK EAST	1C41P	1670	01	-	653	799	709	994	521	829	9
PENFOLD CREEK	1C23	1680	27	222	854	1065	789	1285	641	1000	30
GREEN MOUNTAIN	1C12P	1780	01	-	869	622	661	1408	616	896	12
MCGILLIVRAY PASS	1C05	1800	30	139	562	451	413	1118	322	602	53
MISSION RIDGE	1C18P	1850	01	-	457	357	372	908	357	576	19

DOWNTON LAKE (UPPER)	1C38	1890	30	211	812	674	656	1416	566	900	11
TYAUGHTON CREEK (NORTH)	1C40	1950	30	118	396	346	288	844	288	432	11
BRALORNE (UPPER)	1C37	1980	30	158	588	440	494	1010	440	755	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Lower Fraser Snow Station Map](#)

MIDDLE and LOWER FRASER

April 1, 2006

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	31	3	12	16	0	120C	0	31	36
BROOKMERE	1C01	980	30	69	199	51	131	399	51	201	61
NAZKO	1C08	1070	Not Available			0	0	165B	0	61	47
BIG CREEK	1C21	1140	31	1	2	0T	20	119	0T	16	35
GRANITE MOUNTAIN	1C33	1150	30	47	148	97	172	261	73	181	13
GRANITE MOUNTAIN	1C33A	1150	30	47	135	-	-	-	-	-	0
DUFFY LAKE	1C28	1200	01	129	484	263	484	866	244	507	28
PAVILION	1C06	1230	01	No Snow		0	0	147	0	40	49
LAC LE JEUNE (LOWER)	1C07	1370	27	46	125	37	97	251	0	97	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	171	608	356	446	1086	356	599*	11
DEADMAN RIVER	1C32	1430	30	38	100	62	90A	188	30	105	22
BRALORNE	1C14	1450	30	44	141	38	118	389	0	178	43

SHOVELNOSE MOUNTAIN	1C29	1450	27	68	240	70	165A	442	70	260	27
BOSS MOUNTAIN MINE	1C20P	1460	01	-	510	476	566	844	420	615	12
BRENDA MINE	2F18	1460	03	89	304	159	275	531	159	318	37
LAC LE JEUNE (UPPER)	1C25	1460	27	64	172	74	144	228	43	135	33
BRENDA MINE	2F18P	1460	01	-	395	282	317	497	227	394	13
HIGHLAND VALLEY	1C09A	1510	31	36	90	30	96	249	3A	96	40
BARKERVILLE	1A03P	1520	01	-	259	315	325A	524	221	387	29
HORSEFLY MOUNTAIN	1C13A	1550	31	97	362	474	454	716	282	464	36
GNAWED MOUNTAIN	1C19	1580	31	37	86	21	120A	307	21	126	38
MOUNT TIMOTHY	1C17	1660	03	83	248	267	310	533	186	327	43
YANKS PEAK EAST	1C41P	1670	01	-	653	799	709	994	521	829	9
PENFOLD CREEK	1C23	1680	27	222	854	1065	789	1285	641	1000	30
GREEN MOUNTAIN	1C12P	1780	01	-	869	622	661	1408	616	896	12
MCGILLIVRAY PASS	1C05	1800	30	139	562	451	413	1118	322	602	53
MISSION RIDGE	1C18P	1850	01	-	457	357	372	908	357	576	19
DOWNTON LAKE (UPPER)	1C38	1890	30	211	812	674	656	1416	566	900	11
TYAUGHTON CREEK (NORTH)	1C40	1950	30	118	396	346	288	844	288	432	11
BRALORNE (UPPER)	1C37	1980	30	158	588	440	494	1010	440	755	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LOWER FRASER**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SUMMALLO RIVER WEST	3D01C	790	28	53	181	0	165	512B	0	238	14
BROOKMERE	1C01	980	30	69	199	51	131	399	51	201	61
CALLAGHAN CREEK	3A20	1040	01	226	936	556	700	1604	192	902	29
DISAPPOINTMENT LAKE	1D18P	1040	27	-	1985P	430P	1410P	1966	430P	1397*	5
DICKSON LAKE	1D16	1070	27	425	1820	412	1648	2990A	412	1547	14
DOG MOUNTAIN	3A10	1080	03	320	1516	302	1326	2720A	51	1223	61
BEAVER PASS	WA12	1120	03	208	825A	112	551	1849	94	771*	61
KLESILKWA	3D03A	1130	27	75	273	19	142	792	0	293	58
SPUZZUM CREEK	1D19P	1180	01	-	1868	465	1508	2096	465	1343*	6
DUFFEY LAKE	1C28	1200	01	129	484	263	484	866	244	507	28
STAVE LAKE	1D08	1210	27	443	1793	446	1452	2750A	446	1554	38
WAHLEACH LAKE	1D09	1400	27	173	598	178	651	1270	125	659	38
WAHLEACH LAKE	1D09P	1400	01	-	1183	614	1173	1380P	614	1154	14
NAHATLATCH RIVER	1D10	1520	27	337	1373	523	1050	2410A	523	1417	38
EASY PASS	WA13	1580	Not Available			-	-	3094	996	2061*	31
CHILLIWACK RIVER	1D17P	1600	01	-	1564	713	1530	1894	713	1322*	12
GREAT BEAR	1D15P	1660	01	-	1575	769	1421	2400	769	1784	14
TENQUILLE LAKE	1D06P	1680	01	-	1035	765	844	1193	713	919*	5
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

SKAGIT**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SUMALLO RIVER WEST	3D01C	790	28	53	181	0	165	512B	0	238	14
FREEZEOUT CREEK TRAIL	WA11	1070	02	102	350	43	198	665	8	298*	61
BEAVER PASS	WA12	1120	03	208	825A	112	551	1849	94	771*	61
KLESILKWA	3D03A	1130	27	75	273	19	142	792	0	293	58
LIGHTNING LAKE	3D02	1220	31	96	338	60	274	622	60	305	58
HARTS PASS	WA09	1980	03	284	1194	510	924	1725	510	1077*	63
HARTS PASS	WA09P	1980	01	-	1123	429	884	1770	429	933*	8
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											



[Go to Thompson Snow Station Map](#)

THOMPSON

April 1, 2006

NORTH THOMPSON

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
BLUE RIVER	1E01B	670	30	49	190	238	298	425	154	276	23
KNOUFF LAKE	1E05	1200	29	38	126	94	86	274	58	144	50
COOK CREEK	1E14P	1280	01	-	484	506	604	664	409	553*	6
BOSS MOUNTAIN MINE	1C20P	1460	01	-	510	476	566	844	420	615	12
MOUNT COOK	1E02P	1550	01	-	1001	1028	1040A	1406	939	1109*	5
AZURE RIVER	1E08P	1620	01	-	1046	1189	911	1511	716	1155	9
ADAMS RIVER	1E07	1720	02	171	618	632	564	1069	435	707	36
KOSTAL LAKE	1E10P	1770	01	-	771	884	728	1165	618	878	21
TROPHY MOUNTAIN	1E03A	1860	02	144	512	550	430	888	332	545	32

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SOUTH THOMPSON**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ANGLEMONT	1F02	1190	31	72	270A	174	288	561	142	353	48
ABERDEEN LAKE	1F01A	1310	04	42	142	59	137	259	6	143	67
MONASHEE PASS	2E01	1370	26	85	286	-	327	517	188	343	56
BOULEAU LAKE	2F21	1400	26	128	364	256	294	564	172B	354	35
CELISTA MOUNTAIN	1F06P	1500	01		850	765	-	-	-	-	1
ADAMS RIVER	1E07	1720	02	171	618	632	564	1069	435	707	36
KIRBYVILLE LAKE	2A25	1750	29	263	970	992	1010	1816	701	1189	33
SILVER STAR MOUNTAIN	2F10	1840	02	211	829	675	608	1115	414	760	47
PARK MOUNTAIN	1F03P	1890	01	-	818	840	735	1207	549	867	21
ENDERBY	1F04	1900	31	284	1140	938	798	1430	610	1019	43

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	31	3	12	16	0	120C	0	31	36
BROOKMERE	1C01	980	30	69	199	51	131	399	51	201	61
NAZKO	1C08	1070	Not Available			0	0	165B	0	61	47
BIG CREEK	1C21	1140	31	1	2	0T	20	119	0T	16	35
GRANITE MOUNTAIN	1C33	1150	30	47	148	97	172	261	73	181	13
DUFFY LAKE	1C28	1200	01	129	484	263	484	866	244	507	28
PAVILION	1C06	1230	01	No Snow		0	0	147	0	40	49
LAC LE JEUNE (LOWER)	1C07	1370	27	46	125	37	97	251	0	97	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	171	608	356	446	1086	356	599*	11
DEADMAN RIVER	1C32	1430	30	38	100	62	90A	188	30	105	22
BRALORNE	1C14	1450	30	44	141	38	118	389	0	178	43
SHOVELNOSE MOUNTAIN	1C29	1450	27	68	240	70	165A	442	70	260	27
BOSS MOUNTAIN MINE	1C20P	1460	01	-	510	476	566	844	420	615	12
BRENDA MINE	2F18	1460	03	89	304	159	275	531	159	318	37
LAC LE JEUNE (UPPER)	1C25	1460	27	64	172	74	144	228	43	135	33
BRENDA MINE	2F18P	1460	01	-	395	282	317	497	227	394	13

HIGHLAND VALLEY	1C09A	1510	31	36	90	30	96	249	3A	96	40
BARKERVILLE	1A03P	1520	01	-	259	315	325A	524	221	387	29
HORSEFLY MOUNTAIN	1C13A	1550	31	97	362	474	454	716	282	464	36
GNAWED MOUNTAIN	1C19	1580	31	37	86	21	120A	307	21	126	38
MOUNT TIMOTHY	1C17	1660	03	83	248	267	310	533	186	327	43
YANKS PEAK EAST	1C41P	1670	01	-	653	799	709	994	521	829	9
PENFOLD CREEK	1C23	1680	27	222	854	1065	789	1285	641	1000	30
GREEN MOUNTAIN	1C12P	1780	01	-	869	622	661	1408	616	896	12
MCGILLIVRAY PASS	1C05	1800	30	139	562	451	413	1118	322	602	53
MISSION RIDGE	1C18P	1850	01	-	457	357	372	908	357	576	19
DOWNTON LAKE (UPPER)	1C38	1890	30	211	812	674	656	1416	566	900	11
TYAUGHTON CREEK (NORTH)	1C40	1950	30	118	396	346	288	844	288	432	11
BRALORNE (UPPER)	1C37	1980	30	158	588	440	494	1010	440	755	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

[Go to Columbia Snow Station Map](#)

COLUMBIA

April 1, 2006

UPPER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
CANOE RIVER	2A01A	910	29	21	65	0	57	262	0	98	65
DOWNIE SLIDE (LOWER)	2A27	980	29	146	556	450	-	1062	448	680	28
GLACIER	2A02	1250	26	142	547	535	661	1161	371B	730	69
FIELD	2A03A	1280	29	45	133	108	131	251	8	153	66
SUNWAPTA FALLS	AL11	1400	30	50	119	203	127	333	89	193*	37
VERMONT CREEK	2A19	1520	30	117	380	232	364	843	190	446	40
AZURE RIVER	1E08P	1620	01	-	1046	1189	911	1511	716	1155	9
DOWNIE SLIDE (UPPER)	2A29	1630	29	295	1230	1060	1132	2360A	858	1347	28
KICKING HORSE	2A07	1650	29	96	317	250	314	589	185	346	58
KIRBYVILLE LAKE	2A25	1750	29	263	970	992	1010	1816	701	1189	33

MOUNT REVELSTOKE	2A06P	1830	01	-	1121	1035	1062	1686	709	1230	13
FIDELITY MOUNTAIN	2A17	1870	30	248	990	1143	1234	1951	730	1248	43
BEAVERFOOT	2A11	1890	30	60	124	140	162	460	105	222	46
KEYSTONE CREEK	2A18	1890	29	196	734	662	657	1388	485	827	39
BUSH RIVER	2A23	1920	29	178	676	726	690	1331	455	865	39
GOLDSTREAM	2A16	1920	29	250	960	1067	1029	1638A	785	1157	42
NIGEL CREEK	AL10	1920	30	100	300	369	322	700	198	419*	37
MOLSON CREEK	2A21P	1980	01	-	1016	1061	949	1223	651	1014	23
MOUNT ABBOT	2A14	1980	27	281	1149	1092	1148	1849	698	1256	47
SUNBEAM LAKE	2A22	2010	29	206	812	887	828	1384	590	917	39
MIRROR LAKE	AL06	2030	04	94	279	279	259	561	160	300*	66
BOW SUMMIT II	AL07A	2080	27	114	329	388	330	584B	180	363*	27

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LOWER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FERGUSON	2D02	880	03	117	505	426	589	881	142	587	68
BAIRD	WA02	980	30	66	213	117	180	363	0	156*	46
FARRON	2B02A	1220	30	109	381	265	285	480	162	330	33

MONASHEE PASS	2E01	1370	26	85	286	-	327	517	188	343	56
WHATSHAN (UPPER)	2B05	1480	26	184	659	-	642	964	350	668	47
BARNES CREEK	2B06	1620	26	124	419	-	486	768	299	518	48
BARNES CREEK	2B06P	1620	01	-	469	596	484	773	323	546	13
ST. LEON CREEK	2B08	1800	26	283	1053	-	1144	1831	818	1253	36
ST. LEON CREEK	2B08P	1800	01	-	938	919	968	1553	581	1133	12
KOCH CREEK	2B07	1860	26	245	863	-	710	1156	397	755	45
RECORD MOUNTAIN	2B09	1890	Not Available			421B	655	1307	315	752	31
EAST CREEK	2D08P	2030	01	-	927	848	717	1245	442	922	24

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Columbia Snow Station Map](#)

KOOTENAY

April 1, 2006

EAST KOOTENAY

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
KISHENEHN	MT01	1190	Not Available		53	183	465	36	199*	59	
FERNIE EAST	2C07	1250	01	94	336	123	201	605	123	335	54
SINCLAIR PASS	2C01	1370	29	41	100	96	100A	262A	36	135	69
BRUSH CREEK TIMBER	MT03	1520	28	61	198	51	114	434	51	237*	54
SULLIVAN MINE	2C04	1550	27	92	268	144	232	538	137	313	60
VERMILION RIVER NO. 3	2C20	1570	29	87	216	246	-	401	175	293	12
WEASEL DIVIDE	MT02	1660	28	231	858	587	742	1346	312	823*	65
KIMBERLEY (MIDDLE) V O R	2C12	1680	30	86	246	116	194	462	116	279	37
BANFIELD MOUNTAIN	MT05	1710	28	124	419	196	353B	919	196	524*	35

BANFIELD MOUNTAIN	MT05P	1710	01	-	447	229	348	739	229	423*	8
MOUNT JOFFRE	2C16	1750	30	96	282	307	279	711	179	388	37
MORRISSEY RIDGE	2C09Q	1800	01	-	754	525	626	1224	360	744	22
RED MOUNTAIN	MT04	1830	31	135	470	259	373	810	211	477*	67
MOYIE MOUNTAIN	2C10P	1930	01	-	480	315	401	679	216	401	26
HAWKINS LAKE	MT06	1970	28	201	762	439	564B	1313	399	747*	33
HAWKINS LAKE	MT06P	1970	01	-	688	394	533	1001	310	573*	8
ALLISON PASS	AL01	1980	27	136	476	306	354	823	247	474*	42
WILKINSON SUMMIT (BUSH)	AL03	1980	27	74	188	154	188	460	100	212*	42
THUNDER CREEK	2C17	2010	30	108	268	213	213	475	140A	287	35
FLOE LAKE	2C14	2090	30	178	634	650A	660	1242	411	791	36
FLOE LAKE	2C14P	2090	01	-	615	638	656	1001	360	724	11
KIMBERLEY (UPPER) V O R	2C11	2140	30	132	405	260	343	798	197	467	37
HIGHWOOD SUMMIT (BUSH)	AL02	2210	28	113	323	363	330	681	180	390*	35
MOUNT ASSINIBOINE	2C15	2230	30	150	472	444	452	816	252	551	37
SUNSHINE VILLAGE	AL05	2230	05	157	520	-	493	996	277	598*	38

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

WEST KOOTENAY**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
DUNCAN LAKE NO. 2	2D07A	650	05	No Snow	0T	142	223	0T	82*	15	
FERGUSON	2D02	880	03	117	505	426	589	881	142	587	68
NELSON	2D04	930	27	94	332	223	374	622	137	372	68
SANDON	2D03	1070	31	87	320	157	355	585	71	357	67
CHAR CREEK	2D06	1310	02	177	666	354	557	940	273	563	40
SMITH CREEK	ID01	1460	03	320	1321	-	1016	1940	508	1115*	63
BUNCHGRASS MEADOW	WA01P	1520	01	-	876	478	643	1214	414	741*	8
GRAY CREEK (LOWER)	2D05	1550	29	123	431	296	487	688	290	472	57
KOCH CREEK	2B07	1860	26	245	863	-	710	1156	397	755	45
MOUNT TEMPLEMAN	2D09	1860	30	243	1024	-	892	1608	688	1076	35
GRAY CREEK (UPPER)	2D10	1910	29	182	621	550A	689	1123	492	783	35
EAST CREEK	2D08P	2030	01	-	927	848	717	1245	442	922	24
REDFISH CREEK	2D14P	2104	01	-	1144	994	1046	1519	994	1188*	4

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

[Go to Okanagan Snow Station Map](#)**KETTLE, OKANAGAN and SIMILKAMEEN***April 1, 2006***KETTLE****Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FARRON	2B02A	1220	30	109	381	265	285	480	162	330	33
GOAT CREEK	WA04	1220	28	64	208	25	30	274	0	107*	41
CARMI	2E02	1250	31	48	146	64	92	290	14	142	43
MONASHEE PASS	2E01	1370	26	85	286	-	327	517	188	343	56
SUMMIT G.S.	WA05	1400	28	109	333	175	216	338	23	207*	43
BIG WHITE MOUNTAIN	2E03	1680	29	151	542	436	460	762	332	507	40
GRANO CREEK	2E07P	1860	01	-	630	486	416	769	334	528*	8
BLUEJOINT MOUNTAIN	2E06	2040	26	238	848	-	678	1175	329	742	26

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

OKANAGAN**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
MC CULLOCH	2F03	1280	31	58	180	80	82	249	38	155	68
SUMMERLAND RESERVOIR	2F02	1280	31	77	241	116	182	389	96	226	69
ABERDEEN LAKE	1F01A	1310	04	42	142	59	137	259	6	143	67
OYAMA LAKE	2F19	1340	29	65	176	108A	161	255	61	170	35
POSTILL LAKE	2F07	1370	31	70	215	170	230	348	109	224	55
BOULEAU LAKE	2F21	1400	26	128	364	256	294	564	172B	354	35
VASEUX CREEK	2F20	1400	29	47	112	40	98	239	40	157	35
ESPERON CR (MIDDLE)	2F14	1430	01	116	406	242	348	607	196	372	38
TROUT CREEK	2F01	1430	28	68	198	106	158	396	52	182	69
BRENDA MINE	2F18	1460	03	89	304	159	275	531	159	318	37
BRENDA MINE	2F18P	1460	01	-	395	282	317	497	227	394	13
ISLAHT LAKE	2F24	1480	29	111	358	178	297	501	165A	349	23
GREYBACK RESERVOIR	2F08	1550	29	87	244	199	216	351	114	233	52
ESPERON CR (UPPER)	2F13	1650	01	135	434	292	392	805	244	435	37
ISINTOK LAKE	2F11	1680	30	64	172	72	145	424	66	183	41
MACDONALD LAKE	2F23	1740	03	151	544	307	410	677	257	463	29
MUTTON CREEK NO. 1	WA07	1740	24	193	617B	56B	274	721	56B	344*	65

MISSION CREEK	2F05P	1780	01	-	480	563	529	728	278	472	34
GRAYSTOKE LAKE	2F04	1810	03	118	348A	354	284	828	196	405	36
MOUNT KOBAN	2F12	1810	01	137	434	202	240	602	105	318	40
WHITEROCKS MOUNTAIN	2F09	1830	02	173	658	379	495	1021	318	586	51
SILVER STAR MOUNTAIN	2F10	1840	02	211	829	675	608	1115	414	760	47

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SIMILKAMEEN

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
BROOKMERE	1C01	980	30	69	199	51	131	399	51	201	61
FREEZEOUT CREEK TRAIL	WA11	1070	02	102	350	43	198	665	8	298*	61
LIGHTNING LAKE	3D02	1220	31	96	338	60	274	622	60	305	58
HAMILTON HILL	2G06	1490	02	72	242	83	267	851	83	356	46
MISSEZULA MOUNTAIN	2G05	1550	02	60	182	90	172	516B	90	242	45
ISINTOK LAKE	2F11	1680	30	64	172	72	145	424	66	183	41
LOST HORSE MOUNTAIN	2G04	1920	02	90	260	138	231	533	138	243	43

BLACKWALL PEAK	2G03P	1940	01	-	735	428	690	1494	400	833	38
HARTS PASS	WA09	1980	03	284	1194	510	924	1725	510	1077*	63
HARTS PASS	WA09P	1980	01	-	1123	429	884	1770	429	933*	8

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Coastal B.C. Snow Station Map](#)

COASTAL

April 1, 2006

SOUTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PALISADE LAKE	3A09	880	27	399	1701	303	1381	3560A	285	1440	57
PALISADE LAKE	3A09P	880	Not Available			-	-	1680	678	1179*	2
POWELL RIVER (LOWER)	3A05	910	05	162	649	-	721	1554	85	743	45
CALLAGHAN CREEK	3A20	1040	01	226	936	556	700	1604	192	902	29
POWELL RIVER (UPPER)	3A02	1040	05	236	948	-	1160	1813	467	1046	42
DOG MOUNTAIN	3A10	1080	03	320	1516	302	1326	2720A	51	1223	61
GROUSE MOUNTAIN	3A01	1100	03	358	1576	512	1512B	2670A	44	1203	70
ORCHID LAKE	3A19	1190	27	532	2104	748	1846	3770A	748	1905	32

ORCHID LAKE	3A19P	1190	27	-	2063P	717	1971	3819	717	1887*	19
UPPER SQUAMISH RIVER	3A25P	1340	01	-	1643	803	1403	1853	803	1620	15
NOSTETUKO RIVER	3A22P	1500	01	-	503	233	446	988	233	570*	15
UPPER MOSELY CREEK	3A24P	1650	01	-	240	379	248	567	135	283*	17

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

VANCOUVER ISLAND

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ELK RIVER	3B04	270	04	No Snow	0	0	0	607	0	89	44
WOLF RIVER (LOWER)	3B19	640	04	137	576	46	346	1198	0	381	34
TENNENT LAKE	3B22	950	Not Measured			-	1080A	2830A	432	1034	17
UPPER THELWOOD LAKE	3B10	980	04	427	1914	354	1475A	3200A	354	1554	46
WOLF RIVER (MIDDLE)	3B18	1070	04	249	970	150	688	1706	0	664	34

FORBIDDEN PLATEAU	3B01	1130	04	423	1818	387	1550A	3550A	387	1595	51
JUMP CREEK	3B23P	1160	01	-	1455	184	1159	1643	184	1208	9
MOUNT COKELY	3B02A	1190	03	277	1174	-	990	2100A	331	864	25
WOLF RIVER (UPPER)	3B17P	1490	01	-	1652	305	1359	1878	305	1420	17

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

NORTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
WEDEENE RIVER SOUTH	3C07	300	01	94	336	88	352	733	36	348*	22
TAHTSA LAKE	1B02	1300	31	252	1034	1046	922	1579	775	1179	53
TAHTSA LAKE	1B02P	1300	01	-	1113	1213	908	1686	860	1212	13
BURNT BRIDGE CREEK	3C08P	1330	01	-	675	983	638	1028	201	682*	8

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Northeast Snow Station Map](#)

NORTH EAST

April 1, 2006

PEACE

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FORT ST. JOHN A	4A25	690	26	30	56	34	86	210	0	102	32
PACIFIC LAKE	1A11	770	26	114	395	407	564	879	290	628	43
BULLHEAD MOUNTAIN	4A28	790	Not Available			-	109	168	0T	95	20
PHILIP LAKE	4A13	980	27	91	240	214	251	423	176	287	43
WARE (LOWER)	4A04	980	28	73	175	177	153	316	112B	188	43
AIKEN LAKE	4A30P	1040	01	-	199	270	244	371	206	258	19
TUTIZZI LAKE	4A06	1070	27	82	230	259	223	406	166	255	43
TSAYDAYCHI LAKE	4A12	1160	27	117	324	467	335	584	234	394	43
PINK MOUNTAIN	4A14	1170	Not Available			112	55A	175	16	85	42
KAZA LAKE	1A12	1190	27	100	275	408	307	453	226	338	41
FREDRICKSON LAKE	4A10	1310	27	92	218	259	209	351	163B	245	43

PULPIT LAKE	4A09	1310	28	122	345	454	375	556	297	402	43
PULPIT LAKE	4A09P	1310	01	-	347	460	387	500	378	411	15
PINE PASS	4A02P	1400	01	-	939	1207	917	1530	844	1101	14
TRYGVE LAKE	4A11	1400	27	121	351	385	308	493	257	359	43
SIKANNI LAKE	4C01	1400	28	77	201	308	229	380	166	268	43
PINE PASS	4A02	1430	28	303	1016	1333	1065	1562	668	1150	44
MORFEE MOUNTAIN	4A16	1450	26	184	596	865	724	1158	555	854	38
LADY LAURIER LAKE	4A07	1460	28	140	424	614	425	737	342	503	42
MOUNT SHEBA	4A18	1490	26	175	600	812	684	1146	495	825	37
GERMANSEN (UPPER)	4A05	1500	27	104	275	342	321	523	200	352	44
MOUNT STEARNS	4A21	1500	28	48	102	172	124	239	59	148	31
JOHANSON LAKE	4B02	1540	27	99	265	329	277	417	173	291	43
MONKMAN CREEK	4A20	1550	26	115	332	529	420	1067	313	593	27
WARE (UPPER)	4A03	1570	28	92	222	237	226	390	157	254	42
KWADACHA RIVER	4A27P	1620	01	-	281	315	236	446	236	333*	21

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LIARD

Snow Survey Measurements

WATER EQUIVALENT (mm)

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	2006	2005	2004	Max.	Min.	Normal	No. Years Record
FORT NELSON A	4C05	380	02	40	90	57	46	198	23	95	40
WATSON LAKE A	YK01	700	27	64	146	213	125	229	71	128*	39
FRANCES RIVER	YK02	730	28	68	150	241	174	302	76	154*	29
DEASE LAKE	4C03	820	01	40	61	140	90A	259	50A	136	41
JADE CITY	4C15	940	29	62	162	322	228	322	174	236*	4
SUMMIT LAKE	4C02	1280	31	44	70	151	96	240	0	114	37
DEADWOOD RIVER	4C09P	1300	01	-	101	232	86	283	70	149*	12
SIKANNI LAKE	4C01	1400	28	77	201	308	229	380	166	268	43

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Northwest Snow Station Map](#)

NORTH WEST

April 1, 2006

STIKINE/TAKU

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SPEEL RIVER	AK03	80	31	140	478	564	838	1402	300	764*	37
TELEGRAPH CREEK	4D01	580	03	40	140	117	125	343	37	156	31
NINGUNSAW PASS	4B10	690	01	97	328	399	398	620	231	438	31
DEASE LAKE	4C03	820	01	40	61	140	90A	259	50A	136	41
ISKUT	4D02	1000	30	38	90	94A	87	167	0	107	31
KINASKAN LAKE	4D11P	1020	01	-	315	401	473	570	256	387*	15
TUMEKA CREEK	4D10P	1220	Not Measured			572A	491	869	387	588*	16
WADE LAKE	4D14P	1370	01	-	308	368	315	527	232	344*	14
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											

* - PERIOD OF RECORD AVERAGE

YUKON**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ATLIN LAKE	4E02A	730	02	28	80	132	194	197	50	122*	22
LOG CABIN	4E01	880	29	111	334	450	484	596	213	372	46
PINE LK AIRSTRIP	YK03	1010	30	82	205	324	239	351	122	224*	30
MONTANA MTN.	YK05	1020	29	49	111	167	127	217A	84	137*	29
TAGISH	YK04	1080	30	63	118	231	129	231	73	135*	29

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SKEENA/NASS**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
TERRACE A	4B13A	180	27	15	32	0	0	333	0	75*	26
BEAR PASS	4B11A	460	31	133	506	651	554	900	408	706	22
NINGUNSAW PASS	4B10	690	01	97	328	399	398	620	231	438	31

GRANDUC MINE	4B12P	790	Not Measured			1755	1661	1815	1609	1710*	4
CEDAR- KITEEN	4B18P	885	01	-	495	975	593	975	454	677*	5
MCKENDRICK CREEK	4B07	1050	31	68	204	228	204	427	183	297	38
TACHEK CREEK	4B06	1140	27	71	178	186	140	362	112	232	38
KAZA LAKE	1A12	1190	27	100	275	408	307	453	226	338	41
LU LAKE	4B15	1300	28	75	196	214	222	484	162	318	29
LU LAKE	4B15P	1310	01	-	203	248	199	398	154	243*	7
TSAI CREEK	4B17P	1360	01	-	1024	1084	938	1534	919	1081*	8
KIDPRICE LAKE	4B01	1370	31	199	767	874	712Z	1247	622	919	52
TRYGVE LAKE	4A11	1400	27	121	351	385	308	493	257	359	43
EQUITY MINE	4B14	1420	28	113	314	314	282	640	258	405	29
CHAPMAN LAKE	4B04	1460	31	111	362	403	341	762	315	474	41
HUDSON BAY MTN.	4B03A	1480	31	116	367	482	383	846	356	524	34
SHEDIN CREEK	4B16P	1480	01	-	765	1013	690A	1039	690A	874*	10
MOUNT CRONIN	4B08	1480	31	145	478	495	473	1097	433	612	37
JOHANSON LAKE	4B02	1540	27	99	265	329	277	417	173	291	43

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

British Columbia Snow Survey Snow Water Index April 1, 2006

Basin Snow Water Index Percent of Long-Term Average

