

Contents

- [Province-Wide Synopsis](#)

Basin Data and Graphs


- [Upper Fraser](#)
- [Mid and Lower](#)
- [Fraser](#)
- [Thompson](#)
- [Columbia](#)
- [Kootenay](#)
- [Okanagan, Kettle, and Similkameen](#)
- [Coastal](#)
- [North East](#)
- [North West](#)
- [Groundwater](#)
- [2006 Survey schedule](#)
- [2006 Snow Survey network](#)

Snowpack and Water Supply Outlook for British Columbia

March 1, 2006

Every effort is made to ensure that data reported on these pages are accurate. However, in order to update the graphs and indices as quickly as possible, some data may have been estimated. Please note that data provided on these pages are preliminary and subject to revision on review.

Province-wide Synopsis



[BC Summary Graphs of Snow Water Equivalents](#)

The March 1 snow survey is now complete. Data from 158 snow courses and 58 snow pillows around the province, with 22 out of province sampling locations and climate data from Environment Canada, have been used to form the basis for the following reports.

Snowpack

Following the very heavy snowfall throughout parts of BC in January, February brought near normal to slightly below normal snow accumulations. Overall snow water conditions are near normal across Vancouver Island and the South Coast, the North and South Thompson, the Columbia, the Kootenay and the Okanagan. The Okanagan basin has a snow water index of 110% of normal, the highest index value measured in the province at March 1. The Similkameen and Nicola basins have about 80% of normal March 1 snow water.

Northern BC remains with below normal snowpacks. The Upper Fraser basin is only 75% of normal, a slight increase from 71% at February 1st. The Peace River basin is currently 77% of normal and the Skeena is 79%. Both of these are decreases from their February 1st values.

Weather

Precipitation during February was slightly below normal (generally 65-90%) for most of BC, with a few exceptions. Revelstoke, in the Columbia basin, recorded well above normal precipitation for the month, and Kelowna, Cranbrook and Dease Lake all recorded near normal precipitation. Vancouver

and Nanaimo both recorded only about one-half of normal precipitation. Temperatures across most of the province were near seasonal averages.

Outlook


By March 1, on average, greater than 80% of the peak snowpack for the year has accumulated. Snow conditions in central, southern and coastal BC are near normal, and, even if below normal precipitation should occur for the remainder of the winter, peak snow packs and spring snow melt runoff will be near normal. Snow conditions are such that there are no water-supply concerns for the Okanagan, Kootenay, Similkameen and Thompson basins, or for Vancouver Island and the South Coast.

The well developed snowpack on Vancouver Island and the South Coast is welcome, following three consecutive years of well below normal snow conditions, and bodes well for abundant late spring and summer water supply. Currently, only the Upper Fraser, Skeena and Peace remain with significantly below normal snow conditions, and the likelihood of experiencing well below normal freshet runoff.

The near normal snow conditions in the Thompson, Kootenay and Columbia basins now has us considering the potential for high freshet flows during melt in May and June. Whether or not high flows occurs depends on how much additional snow accumulates for the remainder of March and April, and the weather conditions during spring melt in May and June.

[• Top](#)

Upper Fraser & Nechako Basins



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)

March 1

The snow water equivalent index for the Upper Fraser is 75% of normal for March 1, increasing slightly from 71% of normal at February 1. Prince George received 75% of normal precipitation during February, and only 66% of normal precipitation during the November to February period. Low elevation snow is generally <65% of normal, while mid and high elevation snow is 65-85% of normal.

The Nechako Snow Index is 87% of normal, declining from 93% at February 1. Individual readings range from a low of 61% at Skins Lake (1B05) to a high of 97% of Mount Pondosy (1B08P).

Regional streamflows were normal for February, as indicated by the mean monthly flow in the Fraser River at Marguerite.

[• Top](#)

Middle and Lower Fraser



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)


March 1

Most snow courses and snow pillows in the Middle Fraser experienced near normal or slightly below normal snow accumulation during February. As of March 1 the Middle Fraser had a snow index of 88% of normal, a slight decline from its February 1 level of 90%.

Following very heavy snowfall in January, the Lower Fraser experienced slightly below normal snow accumulation during February. The March 1 index is 99% of normal, a decline from the February 1 value of 114%. A number of snow courses and snow pillows in the Lower Fraser established new records for January snow accumulation, and remain well above normal at March 1. The Chilliwack River snow pillow (1D17P) is at 132% of normal; Dog Mountain (3A10) is at 121%; Dickson Lake (1D16) is at 113%.

[• Top](#)

Thompson Basin



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)


March 1

The Thompson River basin has near normal snow water conditions at March 1. The North Thompson snow water index is 96% of normal, a slight decrease from 102% at February 1. The South Thompson snow water index is 97% of normal, similarly a slight decrease from its 104% level at February 1. Low elevation snow appears to be below normal for the date, whereas mid and high elevation snow is generally in the 90-100% of normal range. In the North Thompson, the Azure River snow pillow (1E08P) is 96%, and the Kostal Lake snow pillow(1E10P) is 92%. In the South Thompson, the Park Mountain snow pillow (1F03P) is 94%. The Brookmere snow course (1C01) in the Nicola basin is 93% of normal.

Streamflows in the region were above normal during February, as indicated by the mean monthly flows in the Thompson River at Spences Bridge, which was 125% of normal.

[• Top](#)

Columbia Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


March 1

The mid to upper elevation Snow Water Index for the Upper and Lower Columbia is slightly below normal at March 1 (94%), decreasing from 98% at February 1. In the Upper Columbia, mid and high elevation snow appears to be 75-100% of normal, with the highest recorded snow water equivalence of 108% at Molson Creek (2A21P). Snow is somewhat better developed in the Lower Columbia, with mid and high elevation snow in the 90-110% of normal range. The highest snow water equivalence measured is 116% at Farron (2B02A) and 124% at Koch Creek (2B07).

Streamflows in the region, as represented by the mean monthly flow in the Columbia River at Donald, were slightly above normal during February.

[• Top](#)

Kootenay Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


March 1

Following a very snowy January, the Kootenays received slightly below normal precipitation during February. However, overall snow conditions remain near normal. As of March 1 the Kootenay Snow Water Index is 100% of normal. Southern portions of the Kootenays have above normal snow. The Moyie Mtn snow pillow (2C10P), located south of Cranbrook, is currently at 118% of normal snow water equivalence. In the West Kootenay, the East Creek snow pillow (2D08P) is currently at 109% of normal and the Char Creek snow course (2D06) is 122%. In general, mid and high elevation areas appear to be in the 85-120% of normal range, while low elevation snow is below normal.

Streamflows, as indicated by the mean monthly flows in the Kootenay River at Fort Steele, were well above normal during November, slightly above normal during December and January, and near normal during February.

[• Top](#)

Okanagan, Kettle, and Similkameen Basins



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


March 1

The overall March 1 snow water index for the Okanagan-Kettle is 110% of normal, a slight increase from the 106% of normal at February 1. Measurements at individual snow courses in the Okanagan are generally in the 90-120% range, with a high of 122% at Mount Kobau (2F12) and Whiterocks Mountain (2F09). Trout Creek (2F01) is 86% of normal. The snowpack appears to be well developed across the full extent of the Okanagan valley, and is the best snow water condition recorded in the valley since 2002. This bodes well for spring and summer water-supply and stream flow in the Okanagan.

Precipitation at Princeton, in the Similkameen, was slightly below normal for February, and still only two-thirds of normal for the cumulative November-February period. The overall basin snow water index is still below normal at 84%. This is, however, an increase from the 73% level at February 1 and a large increase from 49% at January 1. Southern portions of the Similkameen appear to have near normal snow conditions. The Blackwall Peak snow pillow (2G03P) is 94% of normal, and the Lightning Lake snow course (3D02) is 118%, while northern portions of the Similkameen remain with below normal snow conditions (e.g., Missezula Mtn (2G05) is 77%).

[• Top](#)

Vancouver Island & Coastal Regions



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

March 1

Snow packs on the Vancouver Island and Coastal regions are near normal as of March 1. The Vancouver Island average snow water index is 104% of normal, while the South Coastal index is 102% of normal. These are very large increases from their January 1 levels of 53% and 50%, respectively, but are decreases from February 1. Precipitation on Vancouver Island and the South Coast was generally about one-half of normal for February. On

Vancouver Island, the Jump Creek (3B23P) and Wolf River (3B17P) snow pillows are 97% and 105% of normal, respectively.

Snow accumulation throughout the South Coast was subdued during February, following record or near record accumulation in January. Grouse Mountain (3A01) is currently at 113% of normal, and Dog Mountain (3A10) is at 121% of normal. The Upper Squamish River snow pillow is at 95% of normal. In the lower Fraser valley, the Stave Lake snow course (1D08) and Chilliwack River snow pillow (1D17P) are at 106% and 132% of normal, respectively.

Stream flows, as indicated by mean monthly inflows to Upper Campbell Lake, were near normal during January.

[• Top](#)

North East Region



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

March 1


Precipitation in the Peace River basin was below normal for February and well below normal for the cumulative November-February period (66% at Fort St. John). Low elevation snow is well below normal (generally <65% of normal below 1000 m elevation). Mid and high elevation snow in the Peace varies between 70 and 95% of normal, with a basin average of 77% of normal. This is a decrease from its February level of 84%.

The Liard River basin has received well below normal November-February precipitation. The Liard snow water index for March 1 is only 66% of normal, a slight decrease from 69% at February 1.

Regional stream flows, as reflected by the mean monthly inflows to Williston Lake, were below normal for February.

[• Top](#)

North West Region



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

March 1

The Skeena/Nass basins have an average snow water index of 79% of normal

for March 1, while the Stikine/Taku basins have an average index of about 84% of normal. In the Skeena, low elevation snow appears to be <60% of normal, while mid and high elevation snow ranges between 70% and 105% of normal.

Precipitation across the Northwest was well below normal in February (20% of normal at Smithers) and well below normal for the November-February period (50%).

Regional stream flows, as reflected by the mean monthly flows in the Skeena River at Usk, were normal for February.

[•Top](#) [•Copyright](#) [•Disclaimer](#) [•Privacy](#)

[•Feedback](#)



[Go to Upper Fraser Snow Station Map](#)

UPPER and MIDDLE FRASER

March 1, 2006

UPPER FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
HANSARD	1A06A	610	01	53	131	57	122	396	44	196	33
PRINCE GEORGE A	1A10	690	01	39	66	0	121	296	0	136	44
PACIFIC LAKE	1A11	770	26	113	343	394	467	832	277	569	43
BURNS LAKE	1A16	800	01	37	78	94	100	240	60	143	34
CANOE RIVER	2A01A	910	28	36	71	19	84	251	19	113	65
PHILIP LAKE	4A13	980	28	71	176	171	201	382	138	252	42
HEDRICK LAKE	1A14	1100	26	140	411	592	476	954	327	618	38
HEDRICK LAKE	1A14P	1100	01	-	514	769	424	769	386	583*	6
BIRD CREEK	1A23	1180	27	39	72	132	80	232	74	127*	16
KAZA LAKE	1A12	1190	28	78	216	336	261	478	186	297	40
LU LAKE	4B15	1300	23	54	134	216	168	406	122	269	27
EQUITY MINE	4B14	1420	23	92	264	304	218	514	190	351	28
MOUNT SHEBA	4A18	1490	26	150	500	692	511	1037	394	715	35
BARKERVILLE	1A03P	1520	01	-	210	229	249A	479	150A	319	27

KNUDSEN LAKE	1A15	1580	26	181	596	754	490	1098	404	722	35
MC BRIDE (UPPER)	1A02	1580	24	97	231	398	230	594	169	361	52
MC BRIDE (UPPER)	1A02P	1620	01	-	259	-	-	-	-	-	0
REVOLUTION CREEK	1A17P	1690	01	-	522	851	354	1119	336	696	20
LONGWORTH (UPPER)	1A05	1740	26	166	488	696	-	1104	307	674	47
DOME MOUNTAIN	1A19	1820	24	158	457	678	418	981	318	650	32
DOME MOUNTAIN	1A19P	1820	01	-	450	-	-	-	-	-	0
MARMOT JASPER	AL12	1830	28	70	142	214	114	314	91	193*	22
YELLOWHEAD	1A01P	1860	01	-	409	491	270	720	266	499	9

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

NECHAKO

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SKINS LAKE	1B05	880	27	39	70	74	92	226	54	115	42
TAHTSA LAKE	1B02	1300	28	258	948	836	736	1476	571	1025	54
TAHTSA LAKE	1B02P	1300	01	-	1033	1006	738	1512	661	1084	12

KIDPRICE LAKE	4B01	1370	28	196	692	774	574	1137	429	802	54
MOUNT PONDOSY	1B08P	1400	01	-	692	652	497	994	360	710	13
MOUNT WELLS	1B01	1490	28	121	360	466	263	886	244	464	53
MOUNT WELLS	1B01P	1490	01	-	381	561	299	607	244	495	13
NUTLI LAKE	1B07	1490	27	135	375	464	252	651	229	452*	15
MOUNT SWANNELL	1B06	1620	27	60	141	272	173	446	132	250*	17

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	28	36	44	84	44	128	0	63	35
BROOKMERE	1C01	980	26	80	181	80	152	351	53	194	61
NAZKO	1C08	1070	28	23	45	46	78	155	0	80	29
BIG CREEK	1C21	1140	25	19	36	47	85	112	0	55	34
GRANITE MOUNTAIN	1C33	1150	27	54	122	114	187	254	87	164	13
DUFFY LAKE	1C28	1200	02	145	440	215	422	762	194	459	27
PAVILION	1C06	1230	27	19	44	42	78	168	0	71	49

LAC LE JEUNE (LOWER)	1C07	1370	28	51	110	31	110	244	20	101	47
BRIDGE GLACIER (LOWER)	1C39	1400	24	146	502	262	378	954	262	511*	11
DEADMAN RIVER	1C32	1430	28	42	94	80	118	170	44	105	22
SHOVELNOSE MOUNTAIN	1C29	1450	26	75	240	100	190	398	100	253	25
BRALORNE	1C14	1450	24	46	120	48	119	363	0	169	42
BOSS MOUNTAIN MINE	1C20P	1460	01	-	454	405	458	735	308	511	12
LAC LE JEUNE (UPPER)	1C25	1460	28	60	146	46	152	213	13A	134	33
BRENDA MINE	2F18	1460	Not Available			152	251	495	130	287	37
BRENDA MINE	2F18P	1460	01	-	340	233	307	431	184	342	13
HIGHLAND VALLEY	1C09A	1510	01	35	60	27	133	229	25A	89	40
BARKERVILLE	1A03P	1520	01	-	210	229	249A	479	150A	319	27
HORSEFLY MOUNTAIN	1C13A	1550	01	110	331	410	374	624	238	418	33
GNAWED MOUNTAIN	1C19	1580	01	37	80	28	134	259	15	111	38
MOUNT TIMOTHY	1C17	1660	01	86	231	234	260	468	141	285	43
YANKS PEAK EAST	1C41P	1670	01	-	570	683	540	900	398	700	9
PENFOLD CREEK	1C23	1680	24	214	739	908	580	1132	453	828	31
GREEN MOUNTAIN	1C12P	1780	01	-	792	488	524	1259	445	754	12
MCGILLIVRAY PASS	1C05	1800	24	143	481	374	368	1016	222	522	54
MISSION RIDGE	1C18P	1850	01	-	433	326	308	866	269	515	19

DOWNTON LAKE (UPPER)	1C38	1890	24	189	682	572	554	1250	458	755	11
TYAUGHTON CREEK (NORTH)	1C40	1950	24	118	366	312	248	916	248	368	11
BRALORNE (UPPER)	1C37	1980	24	140	458	370	364	944	322	631	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Lower Fraser Snow Station Map](#)

MIDDLE and LOWER FRASER

March 1, 2006

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	28	36	44	84	44	128	0	63	35
BROOKMERE	1C01	980	26	80	181	80	152	351	53	194	61
NAZKO	1C08	1070	28	23	45	46	78	155	0	80	29
BIG CREEK	1C21	1140	25	19	36	47	85	112	0	55	34
GRANITE MOUNTAIN	1C33	1150	27	54	122	114	187	254	87	164	13
DUFFY LAKE	1C28	1200	02	145	440	215	422	762	194	459	27
PAVILION	1C06	1230	27	19	44	42	78	168	0	71	49
LAC LE JEUNE (LOWER)	1C07	1370	28	51	110	31	110	244	20	101	47
BRIDGE GLACIER (LOWER)	1C39	1400	24	146	502	262	378	954	262	511*	11
DEADMAN RIVER	1C32	1430	28	42	94	80	118	170	44	105	22
SHOVELNOSE MOUNTAIN	1C29	1450	26	75	240	100	190	398	100	253	25
BRALORNE	1C14	1450	24	46	120	48	119	363	0	169	42

BOSS MOUNTAIN MINE	1C20P	1460	01	-	454	405	458	735	308	511	12
LAC LE JEUNE (UPPER)	1C25	1460	28	60	146	46	152	213	13A	134	33
BRENDA MINE	2F18	1460	Not Available			152	251	495	130	287	37
BRENDA MINE	2F18P	1460	01	-	340	233	307	431	184	342	13
HIGHLAND VALLEY	1C09A	1510	01	35	60	27	133	229	25A	89	40
BARKERVILLE	1A03P	1520	01	-	210	229	249A	479	150A	319	27
HORSEFLY MOUNTAIN	1C13A	1550	01	110	331	410	374	624	238	418	33
GNAWED MOUNTAIN	1C19	1580	01	37	80	28	134	259	15	111	38
MOUNT TIMOTHY	1C17	1660	01	86	231	234	260	468	141	285	43
YANKS PEAK EAST	1C41P	1670	01	-	570	683	540	900	398	700	9
PENFOLD CREEK	1C23	1680	24	214	739	908	580	1132	453	828	31
GREEN MOUNTAIN	1C12P	1780	01	-	792	488	524	1259	445	754	12
MCGILLIVRAY PASS	1C05	1800	24	143	481	374	368	1016	222	522	54
MISSION RIDGE	1C18P	1850	01	-	433	326	308	866	269	515	19
DOWNTON LAKE (UPPER)	1C38	1890	24	189	682	572	554	1250	458	755	11
TYAUGHTON CREEK (NORTH)	1C40	1950	24	118	366	312	248	916	248	368	11
BRALORNE (UPPER)	1C37	1980	24	140	458	370	364	944	322	631	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LOWER FRASER**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
WOLVERINE CREEK	1D13	300	05	13	24	0	100	232	0	93*	30
SUMMALLO RIVER WEST	3D01C	790	01	67	209	44	217	442	44	271	14
BROOKMERE	1C01	980	26	80	181	80	152	351	53	194	61
CALLAGHAN CREEK	3A20	1040	28	214	720	244	744	1260	200	770	28
DISAPPOINTMENT LAKE	1D18P	1040	Not Available			300P	1356P	1746	300P	1098*	7
DICKSON LAKE	1D16	1070	24	369	1430	322	1268	1490A	322	1263	13
DOG MOUNTAIN	3A10	1080	Not Available			256	1113	2146Z	256	1016	22
BEAVER PASS	WA12	1120	03	218	744	102	561	1298	30	640*	57
KLESILKWA	3D03A	1130	24	106	241	26	195	759	0	296	55
SPUZZUM CREEK	1D19P	1180	01	-	1639	341	1253	1620	341	1032*	6
DUFFEY LAKE	1C28	1200	02	145	440	215	422	762	194	459	27
STAVE LAKE	1D08	1210	24	339	1357	304	1245	2500A	304	1285	38
WAHLEACH LAKE	1D09	1400	24	176	491	153	563	1072	86	528	39
WAHLEACH LAKE	1D09P	1400	01	-	1042	451	911	1213	451	955	13
NAHATLATCH RIVER	1D10	1520	24	286	1119	400	875	2380A	400	1194	37
EASY PASS	WA13	1580	Not Available			-	-	2913	478	1652*	36
CHILLIWACK RIVER	1D17P	1600	01	-	1421	506	1260	1567	506	1079*	12
GREAT BEAR	1D15P	1660	01	-	1466	668	1203	1752	668	1423	14
TENQUILLE LAKE	1D06P	1680	01	-	889	608	701	1058	518	712*	5

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SKAGIT**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SUMALLO RIVER WEST	3D01C	790	01	67	209	44	217	442	44	271	14
FREEZEOUT CREEK TRAIL	WA11	1070	Not Available			25	282	615	15	267*	57
BEAVER PASS	WA12	1120	03	218	744	102	561	1298	30	640*	57
KLESILKWA	3D03A	1130	24	106	241	26	195	759	0	296	55
LIGHTNING LAKE	3D02	1220	26	115	333	36	264	497	36	282	32
HARTS PASS	WA09	1980	03	302	1084	356	759	1636	312	930*	55
HARTS PASS	WA09P	1980	01	-	950	356	747	1320A	356	760*	8
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

[Go to Thompson Snow Station Map](#)

THOMPSON

March 1, 2006

NORTH THOMPSON

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
BLUE RIVER	1E01B	670	01	56	168	248	336	411	179	290	23
KNOUFF LAKE	1E05	1200	27	42	114	104	130	284	36	133	47
COOK CREEK	1E14P	1280	01	-	416	503	465	503	308	431*	6
BOSS MOUNTAIN MINE	1C20P	1460	01	-	454	405	458	735	308	511	12
MOUNT COOK	1E02P	1550	01	-	941	971	840	1166	680	896*	5
AZURE RIVER	1E08P	1620	01	-	941	968	716	1335	548	980	9
ADAMS RIVER	1E07	1720	25	156	518	546	464	892	262	575	35
KOSTAL LAKE	1E10P	1770	01	-	671	764	597	1019	477	733	21
TROPHY MOUNTAIN	1E03A	1860	25	140	420	486	348	778	216	453	31

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SOUTH THOMPSON**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ANGLEMONT	1F02	1190	04	87	260	249	340	635	160	337	49
ABERDEEN LAKE	1F01A	1310	01	57	134	105	167	231	51	145	52
MONASHEE PASS	2E01	1370	03	92	258	256	281	442	149	306	46
BOULEAU LAKE	2F21	1400	26	118	312	232	280	432A	165	295	35
CELISTA MOUNTAIN	1F06P	1500	01	-	780A	686	-	-	-	-	1
ADAMS RIVER	1E07	1720	25	156	518	546	464	892	262	575	35
KIRBYVILLE LAKE	2A25	1750	24	248	940	859	794	1476	526	986	32
SILVER STAR MOUNTAIN	2F10	1840	26	189	685	594A	529	912	347	636	47
PARK MOUNTAIN	1F03P	1890	01	-	694	724	563	1021	383	739	21
ENDERBY	1F04	1900	04	268	1000	750A	692	1200	440	859	42

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	28	36	44	84	44	128	0	63	35
BROOKMERE	1C01	980	26	80	181	80	152	351	53	194	61
NAZKO	1C08	1070	28	23	45	46	78	155	0	80	29
BIG CREEK	1C21	1140	25	19	36	47	85	112	0	55	34
GRANITE MOUNTAIN	1C33	1150	27	54	122	114	187	254	87	164	13
GRANITE MOUNTAIN	1C33A	1150	27	57	132	-	-	-	-	-	0
DUFFY LAKE	1C28	1200	02	145	440	215	422	762	194	459	27
PAVILION	1C06	1230	27	19	44	42	78	168	0	71	49
LAC LE JEUNE (LOWER)	1C07	1370	28	51	110	31	110	244	20	101	47
BRIDGE GLACIER (LOWER)	1C39	1400	24	146	502	262	378	954	262	511*	11
DEADMAN RIVER	1C32	1430	28	42	94	80	118	170	44	105	22
SHOVELNOSE MOUNTAIN	1C29	1450	26	75	240	100	190	398	100	253	25
BRALORNE	1C14	1450	24	46	120	48	119	363	0	169	42
BOSS MOUNTAIN MINE	1C20P	1460	01	-	454	405	458	735	308	511	12
LAC LE JEUNE (UPPER)	1C25	1460	28	60	146	46	152	213	13A	134	33

BRENDA MINE	2F18	1460	Not Available			152	251	495	130	287	37
BRENDA MINE	2F18P	1460	01	-	340	233	307	431	184	342	13
HIGHLAND VALLEY	1C09A	1510	01	35	60	27	133	229	25A	89	40
BARKERVILLE	1A03P	1520	01	-	210	229	249A	479	150A	319	27
HORSEFLY MOUNTAIN	1C13A	1550	01	110	331	410	374	624	238	418	33
GNAWED MOUNTAIN	1C19	1580	01	37	80	28	134	259	15	111	38
MOUNT TIMOTHY	1C17	1660	01	86	231	234	260	468	141	285	43
YANKS PEAK EAST	1C41P	1670	01	-	570	683	540	900	398	700	9
PENFOLD CREEK	1C23	1680	24	214	739	908	580	1132	453	828	31
GREEN MOUNTAIN	1C12P	1780	01	-	792	488	524	1259	445	754	12
MCGILLIVRAY PASS	1C05	1800	24	143	481	374	368	1016	222	522	54
MISSION RIDGE	1C18P	1850	01	-	433	326	308	866	269	515	19
DOWNTON LAKE (UPPER)	1C38	1890	24	189	682	572	554	1250	458	755	11
TYAUGHTON CREEK (NORTH)	1C40	1950	24	118	366	312	248	916	248	368	11
BRALORNE (UPPER)	1C37	1980	24	140	458	370	364	944	322	631	11

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Columbia Snow Station Map](#)

COLUMBIA

March 1, 2006

UPPER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
CANOE RIVER	2A01A	910	28	36	71	19	84	251	19	113	65
DOWNIE SLIDE (LOWER)	2A27	980	24	154	502	440	-	1018	378	631	25
GLACIER	2A02	1250	28	163	482	497	519	952	251	631	66
FIELD	2A03A	1280	26	63	125	107	156	248	53	162	66
SUNWAPTA FALLS	AL11	1400	28	58	122	198	107	277	79	167*	34
VERMONT CREEK	2A19	1520	01	142	358	225A	313	643	152	400	39
AZURE RIVER	1E08P	1620	01	-	941	968	716	1335	548	980	9
DOWNIE SLIDE (UPPER)	2A29	1630	24	298	1170	946	900	2120	614	1139	26
KICKING HORSE	2A07	1650	27	110	239	234	284	462	140	308	59
KIRBYVILLE LAKE	2A25	1750	24	248	940	859	794	1476	526	986	32

MOUNT REVELSTOKE	2A06P	1830	01	-	1005	908	832	1487	537	1014	11
FIDELITY MOUNTAIN	2A17	1870	23	263	833	984	950	1703	534	1081	43
BEAVERFOOT	2A11	1890	01	69	136	132	150	333	80A	192	44
KEYSTONE CREEK	2A18	1890	24	178	577	529	481	1277	357	696	37
BUSH RIVER	2A23	1920	24	168	566	648	560	1078	281	727	38
NIGEL CREEK	AL10	1920	28	118	309	306	236	655	135	358*	34
GOLDSTREAM	2A16	1920	24	258	884	895	810	1351	553	968	42
MOLSON CREEK	2A21P	1980	01	-	934	919	731	1109	437	865	22
MOUNT ABBOT	2A14	1980	24	284	972	947	795	1448	508	1051	46
SUNBEAM LAKE	2A22	2010	24	209	710	738	639	1117	389	780	37
MIRROR LAKE	AL06	2030	27	92	231	249	213	483	122	254*	39
BOW SUMMIT II	AL07A	2080	04	118	326	338	295	533	124	316*	26
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

LOWER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FERGUSON	2D02	880	23	148	406	406	488	796	283	539	54
BAIRD	WA02	980	27	74	203	127	175B	368	0	183*	47
FARRON	2B02A	1220	01	116	342	206	286	450	79	295	33

MONASHEE PASS	2E01	1370	03	92	258	256	281	442	149	306	46
WHATSHAN (UPPER)	2B05	1480	Not Measured			475	569	918	285	611	44
BARNES CREEK	2B06	1620	03	133	396	437	357	634	251	447	44
BARNES CREEK	2B06P	1620	01	-	390	465	375	682	229	440	12
ST. LEON CREEK	2B08	1800	03	289	1004	882	867	1621	500	1098	36
ST. LEON CREEK	2B08P	1800	01	-	821	791	716	1392	416	974	12
KOCH CREEK	2B07	1860	03	228	774	433	551	996	269	625	41
RECORD MOUNTAIN	2B09	1890	Not Measured			378	530A	1136	147	628	31
EAST CREEK	2D08P	2030	01	-	863	758	529	1167	312	790	25

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

[Go to Columbia Snow Station Map](#)

KOOTENAY

March 1, 2006

EAST KOOTENAY

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
KISHENEHN	MT01	1190	26	112	213	74	221	399	36	208*	60
FERNIE EAST	2C07	1250	28	106	303	103	264	584	61	313	55
SINCLAIR PASS	2C01	1370	28	44	92	80	122	262	48	126	59
BRUSH CREEK TIMBER	MT03	1520	22	61	160B	-	162	432	86	219*	52
SULLIVAN MINE	2C04	1550	25	85	220	136	202	465	53	268	60
WEASEL DIVIDE	MT02	1660	26	234	818	505	665	1257	254	726*	47
KIMBERLEY (MIDDLE) V O R	2C12	1680	Not Measured			104	189	386	97	242	37
BANFIELD MOUNTAIN	MT05P	1710	01	-	394	188	335	663	188	354*	8
MOUNT JOFFRE	2C16	1750	01	114	278	254	240	551	122	329	34

MORRISSEY RIDGE	2C09Q	1800	01	-	630	397	548	1074	232	620	22
MOYIE MOUNTAIN	2C10P	1930	01	-	398	240	394	653	149	338	26
HAWKINS LAKE	MT06P	1970	01	-	582	305	467	881	254	468*	8
ALLISON PASS	AL01	1980	24	125	344	251	307	625	189	390*	23
THUNDER CREEK	2C17	2010	01	104	250	168	162	378	91	239	35
FLOE LAKE	2C14	2090	01	198	614	553	513	993	279	665	36
FLOE LAKE	2C14P	2090	01	-	540	536	485A	889	254	614	11
KIMBERLEY (UPPER) V O R	2C11	2140	01	134	281	216	285	696	152	390	37
HIGHWOOD SUMMIT (BUSH)	AL02	2210	03	118	307	305	269	455	145	320*	27
SUNSHINE VILLAGE	AL05	2230	01	182	483	444	361	770	211	484*	35
MOUNT ASSINIBOINE	2C15	2230	01	162	432	343	349	680	185	454	36

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

WEST KOOTENAY

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	

DUNCAN LAKE NO. 2	2D07A	650	28	43	100	73	189	263	72	137*	15
FERGUSON	2D02	880	23	148	406	406	488	796	283	539	54
NELSON	2D04	930	28	107	316	188	393	558	140	353	66
SANDON	2D03	1070	28	112	324	196	396	475	196	347	29
CHAR CREEK	2D06	1310	01	186	582	285	511	754	231	476	38
BUNCHGRASS MEADOW	WA01P	1520	01	-	775	450	579	1049	318	622*	8
GRAY CREEK (LOWER)	2D05	1550	Not Measured			258	436	663	201	406	56
KOCH CREEK	2B07	1860	03	228	774	433	551	996	269	625	41
MOUNT TEMPLEMAN	2D09	1860	01	275	904	768	680	1534	490	935	35
GRAY CREEK (UPPER)	2D10	1910	Not Measured			454	594	955	343	651	35
EAST CREEK	2D08P	2030	01	-	863	758	529	1167	312	790	25
REDFISH CREEK	2D14P	2104	01	-	1016	855	833	1256	761	926*	4

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Okanagan Snow Station Map](#)

KETTLE, OKANAGAN and SIMILKAMEEN

March 1, 2006

KETTLE

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FARRON	2B02A	1220	01	116	342	206	286	450	79	295	33
GOAT CREEK	WA04	1220	27	76	226	91	173	300	0	160*	43
CARMI	2E02	1250	27	58	140	88	160	274	56	147	43
MONASHEE PASS	2E01	1370	03	92	258	256	281	442	149	306	46
SUMMIT G.S.	WA05	1400	28	109	279	140	239	305	63	191*	42
BIG WHITE MOUNTAIN	2E03	1680	01	160	516	340	352	676	213	426	40
GRANO CREEK	2E07P	1860	01	-	495	386	386	634	206	413*	8
BLUEJOINT MOUNTAIN	2E06	2040	03	236	773	-	-	549	549	549*	1

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

OKANAGAN**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SUMMERLAND RESERVOIR	2F02	1280	28	84	223	136	208	381	97	214	45
MC CULLOCH	2F03	1280	28	73	172	116	169	249	71	157	66
ABERDEEN LAKE	1F01A	1310	01	57	134	105	167	231	51	145	52
OYAMA LAKE	2F19	1340	27	58	155	114	177	241	73	157	36
POSTILL LAKE	2F07	1370	01	72	188	143	220	274	98	186	56
VASEUX CREEK	2F20	1400	03	49	88	52	100	284	52	139	35
BOULEAU LAKE	2F21	1400	26	118	312	232	280	432A	165	295	35
TROUT CREEK	2F01	1430	26	56	145	90A	204	335	55	169	66
BRENDA MINE	2F18	1460	Not Available			152	251	495	130	287	37
BRENDA MINE	2F18P	1460	01	-	340	233	307	431	184	342	13
ISLAHT LAKE	2F24	1480	02	113	351	161	272	497	161	317	24
GREYBACK RESERVOIR	2F08	1550	28	90	204	174	196	312	91	198	39
ESPERON CR (UPPER)	2F13	1650	26	130	376	258	352	635	157	371	37
ISINTOK LAKE	2F11	1680	27	60	138	87	140	358	53	164	41
MACDONALD LAKE	2F23	1740	Not Available			258	347	583	170	394	29
MUTTON CREEK NO. 1	WA07	1740	23	137	416	104	290	589	0	303*	62
MISSION CREEK	2F05P	1780	01	-	400A	443	424	610	206	388	34

GRAYSTOKE LAKE	2F04	1810	Not Available			235A	294	605	128	330	27
MOUNT KOBAN	2F12	1810	26	104	316	154	231	488	61	259	40
WHITEROCKS MOUNTAIN	2F09	1830	04	180	609	327	387	809	180	499	50
SILVER STAR MOUNTAIN	2F10	1840	26	189	685	594A	529	912	347	636	47

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SIMILKAMEEN

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
BROOKMERE	1C01	980	26	80	181	80	152	351	53	194	61
FREEZEOUT CREEK TRAIL	WA11	1070	Not Available			25	282	615	15	267*	57
LIGHTNING LAKE	3D02	1220	26	115	333	36	264	497	36	282	32
HAMILTON HILL	2G06	1490	25	80	211	102	281	676	102	326	44
MISSEZULA MOUNTAIN	2G05	1550	26	66	171	85	168	363	76	221	42
ISINTOK LAKE	2F11	1680	27	60	138	87	140	358	53	164	41
LOST HORSE MOUNTAIN	2G04	1920	05	70	170	113	206	508	92	204	43

BLACKWALL PEAK	2G03P	1940	01	-	683	341	589	1323	213	728	38
HARTS PASS	WA09	1980	03	302	1084	356	759	1636	312	930*	55
HARTS PASS	WA09P	1980	01	-	950	356	747	1320A	356	760*	8

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Coastal B.C. Snow Station Map](#)

COASTAL

March 1, 2006

SOUTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
PALISADE LAKE	3A09	880	28	278	1290	193	1262	3150A	95	1183	51
PALISADE LAKE	3A09P	880	Not Available			-	-	1287	1287	1287*	1
CALLAGHAN CREEK	3A20	1040	28	214	720	244	744	1260	200	770	28
DOG MOUNTAIN	3A10	1080	06	266	1230	256	1113	2146Z	256	1016	22
GROUSE MOUNTAIN	3A01	1100	27	269	1130	378	1262	2320A	143	997	55
ORCHID LAKE	3A19	1190	24	367	1570	521	1575	2960A	444	1568	31
ORCHID LAKE	3A19P	1190	Not Available			417	1667	3093	417	1529*	19
UPPER SQUAMISH RIVER	3A25P	1340	01	-	1309	574	1140	2301	574	1380	16

NOSTETUKO RIVER	3A22P	1500	01	-	379	165	360	769	165	483*	16
UPPER MOSELY CREEK	3A24P	1650	01	-	236	304	240	555	98	263*	17

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

VANCOUVER ISLAND

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ELK RIVER	3B04	270	02	21	52	0	0	546	0	114	45
WOLF RIVER (LOWER)	3B19	640	28	133	458	0	430	1064	0	347	35
TENNENT LAKE	3B22	950	Not Available			0	1016	1200	0	833	19
UPPER THELWOOD LAKE	3B10	980	28	327	1308	126	1356	2440A	126	1204	45
WOLF RIVER (MIDDLE)	3B18	1070	28	201	662	20	702	1344	20	532	35
FORBIDDEN PLATEAU	3B01	1130	28	332	1335	101	1411	2730A	101	1279	50
JUMP CREEK	3B23P	1160	01	-	945	64	1005	2016	64	977	10
MOUNT COKELY	3B02A	1190	23	191	762	34	830	1016	34	701	24

WOLF RIVER (UPPER)	3B17P	1490	01	-	1237	195	1152	1777	195	1178	17
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

NORTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
WEDEENE RIVER SOUTH	3C07	300	23	87	282	119	329	817	119	388*	21
TAHTSA LAKE	1B02	1300	28	258	948	836	736	1476	571	1025	54
TAHTSA LAKE	1B02P	1300	01	-	1033	1006	738	1512	661	1084	12
BURNT BRIDGE CREEK	3C08P	1330	01	-	604	893	476	900	274	639*	8
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											



[Go to Northeast Snow Station Map](#)

NORTH EAST

March 1, 2006

PEACE

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
FORT ST. JOHN A	4A25	690	26	23	38	86	62	191	38	107	32
PACIFIC LAKE	1A11	770	26	113	343	394	467	832	277	569	43
BULLHEAD MOUNTAIN	4A28	790	28	29	48	85	89	142	0T	89	21
PHILIP LAKE	4A13	980	28	71	176	171	201	382	138	252	42
WARE (LOWER)	4A04	980	01	52	129	152	140	246	97	164	42
AIKEN LAKE	4A30P	1040	01	-	150	233	188	363	162	242	19
TUTIZZI LAKE	4A06	1070	28	67	175	218	201	386	140	230	42
TSAYDAYCHI LAKE	4A12	1160	28	96	253	332	255	540	166	342	42
PINK MOUNTAIN	4A14	1170	Not Available			98	57	160	10A	77	42
KAZA LAKE	1A12	1190	28	78	216	336	261	478	186	297	40
PULPIT LAKE	4A09	1310	01	95	299	376	322	531	233	357	41
PULPIT LAKE	4A09P	1310	01	-	271	393	341	448	290	361	15

FREDRICKSON LAKE	4A10	1310	28	66	185	230	179	315	129	214	41
PINE PASS	4A02P	1400	01	-	762	954	725	1485	600	921	14
SIKANNI LAKE	4C01	1400	01	63	158	295	198	335	107	229	40
TRYGVE LAKE	4A11	1400	28	100	290	308	256	453	211	315	41
PINE PASS	4A02	1430	02	252	987	1095	924	1502	480	1005	42
MORFEE MOUNTAIN	4A16	1450	26	124	432	736	608	1166	312	739	38
LADY LAURIER LAKE	4A07	1460	01	118	368	505	364	662	255	438	39
MOUNT SHEBA	4A18	1490	26	150	500	692	511	1037	394	715	35
GERMANSEN (UPPER)	4A05	1500	28	78	203	237	232	520	174	302	45
MOUNT STEARNS	4A21	1500	01	38	57	145	96	227	56	123	31
JOHANSON LAKE	4B02	1540	28	73	190	281	224	368	148	253	42
MONKMAN CREEK	4A20	1550	26	96	272	451	284	925	211	522	24
WARE (UPPER)	4A03	1570	01	65	167	181	182	360	114	220	45
KWADACHA RIVER	4A27P	1620	01	-	221	266	210	405	195	288*	21

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LIARD

Snow Survey Measurements

WATER EQUIVALENT (mm)

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	2006	2005	2004	Max.	Min.	Normal	No. Years Record
FORT NELSON A	4C05	380	28	34	62	62	51	177A	40	98	40
WATSON LAKE A	YK01	700	23	63	116	216	115	216	61	129*	40
FRANCES RIVER	YK02	730	23	62	130	226	156	312	65	138*	30
DEASE LAKE	4C03	820	Not Available			130	84	229	45	125	41
JADE CITY	4C15	940	23	56	128	300	204	300	158	218*	4
SUMMIT LAKE	4C02	1280	04	39	72	99	90	190	0T	106	36
DEADWOOD RIVER	4C09P	1300	01	-	60	198	67	220	58	123*	12
SIKANNI LAKE	4C01	1400	01	63	158	295	198	335	107	229	40

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Northwest Snow Station Map](#)

NORTH WEST

March 1, 2006

STIKINE/TAKU

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
SPEEL RIVER	AK03	80	Not Available		691	686	1024	389B	658*	35	
TELEGRAPH CREEK	4D01	580	27	48	130	133	110	345	53	156	31
NINGUNSAW PASS	4B10	690	01	97	309	366	294	629	232	408	31
DEASE LAKE	4C03	820	Not Available		130	84	229	45	125	41	
ISKUT	4D02	1000	01	36	69	98A	70	176	33	107	31
KINASKAN LAKE	4D11P	1020	01	-	266	360	334	527	204	334*	15
TUMEKA CREEK	4D10P	1220	Not Measured		521	345	789	338	511*	16	
WADE LAKE	4D14P	1370	01	-	259	330	244	475	162	296*	14
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											

* - PERIOD OF RECORD AVERAGE

YUKON**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
ATLIN LAKE	4E02A	730	01	32	74	137	98	185A	50	110*	22
LOG CABIN	4E01	880	28	107	286	381	372	514	124	330	45
PINE LK AIRSTRIP	YK03	1010	01	76	175	314	201	330	25	191*	30
MONTANA MTN.	YK05	1020	01	44	90	178	124	202	65	127*	30
TAGISH	YK04	1080	23	40	89	227	111	227	75	123*	30
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

SKEENA/NASS**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2006	2005	2004	Max.	Min.	Normal	
TERRACE A	4B13A	180	27	15	47	0	84	407	0	137*	24
BEAR PASS	4B11A	460	28	140	473	619	463	824	400A	610	22
NINGUNSAW PASS	4B10	690	Not Available		366	294	629	232	408		31

GRANDUC MINE	4B12P	790	Not Measured			1568	1361	1725	1361	1510*	4
CEDAR- KITEEN	4B18P	885	01	-	424	833	428	833	319	540*	5
MCKENDRICK CREEK	4B07	1050	01	62	155	216	159	391	159	269	38
TACHEK CREEK	4B06	1140	27	59	130	152	130	330	117	206	38
KAZA LAKE	1A12	1190	28	78	216	336	261	478	186	297	40
LU LAKE	4B15	1300	23	54	134	216	168	406	122	269	27
LU LAKE	4B15P	1310	01	-	169	229	161	319	116	269	7
TSAI CREEK	4B17P	1360	01	-	889	859	701	1384	694	889*	8
KIDPRICE LAKE	4B01	1370	28	196	692	774	574	1137	429	802	54
TRYGVE LAKE	4A11	1400	28	100	290	308	256	453	211	315	41
EQUITY MINE	4B14	1420	23	92	264	304	218	514	190	351	28
CHAPMAN LAKE	4B04	1460	01	97	303	350	266	691	266	414	41
SHEDIN CREEK	4B16P	1480	01	-	619	825	568A	904	563	725*	10
HUDSON BAY MTN.	4B03A	1480	02	103	316	398	298	719	287	459	34
MOUNT CRONIN	4B08	1480	01	129	425	416	371	869	345	522	37
JOHANSON LAKE	4B02	1540	28	73	190	281	224	368	148	253	42

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE