

Contents

- [Province-Wide Synopsis](#)
- [Basin Snow Water Index Map](#)

Basin Data and Graphs


- [Upper Fraser](#)
- [Mid and Lower](#)
- [Fraser](#)
- [Thompson](#)
- [Columbia](#)
- [Kootenay](#)
- [Okanagan, Kettle, and Similkameen](#)
- [Coastal](#)
- [North East](#)
- [North West](#)
- [Groundwater](#)
- [2007 Survey schedule](#)
- [2007 Snow Survey network](#)
- [Archived Snow Bulletins](#)

Snowpack and Water Supply Outlook for British Columbia

February 1, 2007

Every effort is made to ensure that data reported on these pages are accurate. However, in order to update the graphs and indices as quickly as possible, some data may have been estimated. Please note that data provided on these pages are preliminary and subject to revision on review.

Province-wide Synopsis



[BC Summary Graphs of Snow Water Equivalents](#)

The February 1st snow survey is now complete. Data from 127 snow courses and 61 snow pillows around the province, with 17 out of province sampling locations and climate data from Environment Canada, have been used to form the basis for the following reports.

Following a series of intense Pacific frontal systems from late October to mid-January, well above normal snowpacks have accumulated throughout much of the province. These include new record high values for February 1st for a number of locations on Vancouver Island, the south coast, mid coast and north coast, as well as the Skeena, Bulkely and Nechako basins. Based on the widespread heavy snow conditions, the River Forecast Centre is forecasting well above normal spring runoff in many basins, and the potential for flooding in some areas. Whether or not flooding occurs will depend on a number of factors, including the amount of additional snowfall that occurs during the remainder of the winter, and weather during snowmelt in May and June.

Current Snowpack

Basin snow water indices across B.C. are all above normal, ranging from 106% of normal in the Okanagan to greater than 160% of normal along the south, mid and north coast, Vancouver Island, and in the Nechako. These are record or near record snowpacks for the date. The Skeena, Nass and Bulkley are about 145% of normal. A number of snow courses and snow pillows in these areas are at new record highs for February 1st. Much of the rest of the Interior has well above normal snowpacks (120-140%), including the Peace, Upper Fraser, Middle Fraser,

Quesnel Highlands, south Okanagan, Similkameen, Columbia, and lower Fraser. The North Thompson and South Thompson are 119% and 114%, respectively. The least developed snowpacks in the province are in the north Okanagan. Snowpacks in this area are near normal for the date.

A notable difference for the current snow conditions from the last decade is that low and mid elevation snow throughout the Interior is well developed. The Fraser basin low elevation snow index is currently about 140% of normal.

Weather

A frontal storm pushed onto the north coast in late October, bringing very heavy snowfall to the Skeena and Nechako, and other areas in north-central B.C. Following that, November, December and early January experienced an ongoing series of frontal storms, each bringing moderate to heavy rain to low elevation areas and snow to high elevation areas along the coast, and snow throughout much of the interior. During the last 10 days of January, a high pressure ridge prevented much moisture from penetrating into B.C. The November-January three month total precipitation was above normal almost everywhere in B.C., except Kelowna and Fort Nelson, where precipitation was near normal. Princeton (in the Similkameen basin) was one of the wettest locations, receiving 156% of normal precipitation over the three month period.

Outlook

By February 1st, on average, about two-thirds of the peak snowpack for the year has accumulated. The above normal snow accumulation provides a favourable outlook for spring and summer water supply. This is particularly the case for the Peace River and Nechako basins, and the Thompson-Nicola area, which experienced a significant drought in 2006.


The widespread heavy snow conditions in all regions and across all elevations results in the potential for flooding in May and June, as the snow melts. Whether or not flooding occurs depends on a number of factors, including:

- The amount of additional snowfall that occurs during the remainder of the winter; and
- Weather during snowmelt in May and June.

The greatest risk for flooding results from above normal snowpacks combined with well above normal temperatures and/or heavy rainfall during snowmelt in May and June. Areas of note include most of the B.C. Interior, including the Fraser River to the Lower Mainland. Vancouver Island and other coastal drainages are excluded, as they normally experience their high flows during fall and winter rain storms, not from spring snowmelt.

[Top](#)

Upper Fraser & Nechako Basins



[Data
Graphs](#)




[Snow Survey Data
Measurements](#)

February 1

The snow water index for the Upper Fraser is 135% of normal for February 1st, an increase from 128% at January 1st. This results from a wet winter, to date. Prince George received 112% of normal precipitation in January, and 126% of normal for the 3-month period of November-January. One of the notable characteristics this winter is that low elevation and valley bottom snow is very well developed. Low elevation snow is generally near 150% of normal, while mid- and high-elevation snow is 120-160% of normal. Amongst the highest measurements in the Upper Fraser are: Bird Creek (1A23) - 194%; Burns Lake (1A16) - 183%; and McBride-Upper (1A02) - 156%.

The Nechako snow water index is 167% of normal, a slight decline from 174% at January 1st. The Mount Pondosy (1B08P), Mount Wells (1B01P) and Tahtsa Lake (1B02P) snow pillows range between 151% and 169% of normal. The Nutli Lake snow course (1B07) is 178%, a new record high for February 1st. The Skins Lake snow course (1B05) is 181%. Low elevation snow is well developed throughout the Nechako, and is near 150% of normal. The Nechako snow water index is at a new record high for February 1st.

Middle and Lower Fraser



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

February 1


Following above normal November and December precipitation, the Middle and Lower Fraser both have well above normal snow accumulation as of February 1st. The Middle Fraser had a February 1st snow water index of 135% of normal. This is an increase from 128% at January 1st. Big Creek (1C21) is unusually low at only 73% of normal, while Granite Mountain (1C33A) is at new record high of 180%. Other notable measurements are: Bridge Glacier (1C39) - 146%; Bralorne (1C14) - 175%; and Green Mountain (1C12P) - 163%.

The Lower Fraser has a well above normal snow accumulation, with a snow water index of 143% of normal. This is a new record high for the date, with the previous high index value in 1999, at 141%. This years' index value is an increase from 137% at January 1st. Many individual snow courses and snow pillows are at or near new record highs for the date (with 1999 being year of record): Disappointment Lake (1D18P - 173%; Tenquille Lake (1D06P) - 170%; Dickson

Lake (1D16) - 168%; Stave Lake (1D08) - 160%; and Callaghan Creek (3A20) - 180%.

[• Top](#)

Thompson Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

February 1

The Thompson River basin has above normal snow water conditions at February 1st, reflecting the above normal precipitation over the November to January period. The North Thompson is 119% of normal, an increase from 109% at January 1st. The South Thompson snow water index is 114% of normal, a slight increase from 109% at January 1st. Low elevation snow appears to be well above normal for the date.


In the North Thompson basin, the Blue River (1E01B) snow course is 152% of normal. Blue River received greater than twice its usual January snow accumulation. The Azure River (1E08P) and Kostal Lake (1E01P) snow pillows are 114% and 103%, respectively.

In the South Thompson basin, Enderby (1F04) is 113% and Park Mountain (1F03P) is 99%. For areas north of Shuswap Lake, it appears that the snow is 125-130% of normal, with Anglement (1F02) at 123%, Adams River (1E07) at 123%, and Kirbeyville Lake (2A25) at 127%.

In the Nicola/Coldwater basin, Lac Le Jeune lower (1C07) and Lac Le Jeune upper (1C25) are 165% and 140%, respectively, and Shovelnose Mountain (1C29) is 122%. This is very well developed snow for the Nicola/Coldwater basin, suggesting that water conditions this summer will be much improved from the conditions last summer.

[• Top](#)

Columbia Basin



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)


February 1

The snow water index for the Columbia is 124% of normal, with most snow

courses in the Upper Columbia being in the 120-140% of normal range. The Molson Creek snow pillow (2A21P) is 139% of normal. Low elevation and valley bottom snow in the Upper Columbia appears to be well above normal (e.g., 162% at Canoe River - 2A01A). For the Lower Columbia, most snow courses are in the 90-120% of normal range, ranging from a low of 87% at Barnes Creek (2B06) to a high of 120% for Record Mountain (2B09). The areas west of Arrow Lake, extending into the adjacent portions of the Okanagan, have generally received less snowfall this winter than any other area in the south and central interior.

[• Top](#)

Kootenay Basin



[Data
Graphs](#)




[Snow Survey Data
Measurements](#)

February 1

The overall Kootenay snow water index is 106% of normal, a drop from 111% at January 1st. In the East Kootenay, the far south-east corner appears to have slightly below normal snow (Ferne East, 2C07 = 96%; Morrissey Ridge, 2C09A = 87%). Most other areas in the East Kootenay are 90-112%. The Moyie Mountain snow pillow (2C10P) is 138% of normal. The West Kootenay generally has well above normal snow conditions, ranging from a low of 109% (Koch Creek, 2B07) to a high of 146% (Duncan Lake No. 2, 2D07A). The Nelson snow course (2D04) is 116%.

[• Top](#)

Okanagan, Kettle, and Similkameen Basins



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

February 1

Snow conditions in the Okanagan at February 1st are very good. The overall February 1 snow water index of 106% for the Okanagan-Kettle is above normal, with conditions being better in the south Okanagan (e.g., Mount Kobau, 2F12 = 132%; Summerland Reservoir, 2F02 = 144%) than in the north Okanagan (e.g., Mission Creek, 2F05P = 97%; Silver Star Mountain, 2F10 = 105%). The Trout Creek (2F01) snow course and the Brenda Mines (2F18P) snow pillow, both on the west side of the Okanagan valley, are 128%.


In the Kettle River drainage, precipitation during January was somewhat below normal and the overall basin snow index has declined from January. The Grano

Creek (2E07P) snow pillow is 111%, while Big White Mountain (2E03) is 97%.

The Similkameen valley received the full force of a number of the major frontal systems during November and December, and has accumulated substantial snow. January was drier, however, with Princeton receiving only 63% of its normal January precipitation. As a result, the Similkameen snow water index declined to 123% of normal at February 1st, from 147% at January 1st. The Blackwall Peak (2G03P) snow pillow is currently 130%, Lost Horse Mountain (2G04) is 133%, and Missezula Mountain (2G05) is 121%.

[• Top](#)

Vancouver Island & Coastal Regions



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)


February 1

Snow packs on the Vancouver Island and Coastal regions are well above normal as of February 1st. The Vancouver Island snow water index is 163% of normal, while the South Coast index is 161% of normal. Both are similar to February 1999, the year of record snow accumulation on the South Coast. Precipitation on Vancouver Island and the Coast was far above normal for the November and December period, fuelled by a series of intense Pacific frontal storms.

Precipitation during January was near normal. On Vancouver Island, the Jump Creek (3B23P) snow pillow and Wolf River Lower snow course (3B19) are 187% and 166% of normal, respectively, at February 1st. The Jump Creek value is a new record for the date. On the South Coast, a number of snow courses have established new records for February 1st, including Callaghan Creek (3A20) - 180%, Dog Mountain (3A10) - 165%, and Nostetuko River (3A22P) - 204%.

[• Top](#)

North East Region



[Data](#)
[Graphs](#)



[Snow Survey Data](#)
[Measurements](#)

February 1

Following record low precipitation from Nov/05 to Sep/06, a significant shift began in late October with the first storm of the winter. The snow water index for the Peace River basin is 139% of normal at February 1st. All snow courses are well above normal for the date, across the range of elevations. The low elevation Fort St. John A (4A25) is 181%, while the high elevation Monkman Creek is

163%. These snow accumulations provide a favourable outlook for substantially improved water-supply conditions in the Peace for 2007, following the severe 2006 drought.

For the Liard basin, snow water equivalencies range between 80% at Dease Lake (4C03) to 139% at Sikanni Lake (4C01). The overall basin index is slightly above normal at 105%.

[Top](#)

North West Region



[Data
Graphs](#)



[Snow Survey Data
Measurements](#)

February 1

The Skeena/Nass basins (including the Bulkley River) have well above normal snow accumulations for the date. Their overall snow water index is 145% of normal for February 1st, a slight reduction from 153% at January 1st. Many snow courses in the Skeena and Nass have established new record highs for February 1st, including: Tachek Creek (4B06) - 186%; Lu Lake (4B15P) - 213%; Kidprice Lake (4B01) - 173%; and others. The Terrace A (4B13A) snow course is 191% of normal.

Other north coastal locations are currently at a record high snow accumulation for February 1st, surpassing 1999 (the previous record holder). Burnt Bridge Creek (3C08P) is 189% of normal and Tahtsa Lake (1B02) is 164%.

The Stikine/Taku basins have an average index of about 114% of normal.



[Go to Upper Fraser Snow Station Map](#)

UPPER and MIDDLE FRASER

February 1, 2007

UPPER FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
PRINCE GEORGE A	1A10	690	29	52	140	46	0T	224	0T	114	45
PACIFIC LAKE	1A11	770	27	195	666	262	345	679	179	451	39
BURNS LAKE	1A16	800	31	84	220	56	80	232	44	120	36
CANOE RIVER	2A01A	910	25	57	146B	42B	17	140	17	90	32
PHILIP LAKE	4A13	980	28	112	355	136	177	353	118	202	40
HEDRICK LAKE	1A14	1100	27	197	641	307	-	823	248	500	38
HEDRICK LAKE	1A14P	1100	01	-	716	371	626	649	356	481*	7
BIRD CREEK	1A23	1180	29	78	196	56	112	176	56	101*	16
KAZA LAKE	1A12	1190	28	100	297	192	-	440	125	239	36
LU LAKE	4B15	1300	31	116	352	-	-	306	134	210	11
EQUITY MINE	4B14	1420	31	134	444	-	-	332	174	290	12
MOUNT SHEBA	4A18	1490	27	246	932	386	531	918	299	570	37
BARKERVILLE	1A03P	1520	01	-	300	161	199	351	116	253	28
KNUDSEN LAKE	1A15	1580	27	214	789	432	631	899	284	584	36

MC BRIDE (UPPER)	1A02	1580	31	150	461	175B	336	503	140	296	53
MC BRIDE (UPPER)	1A02P	1620	01	-	446	195	-	195	195	-	1
REVOLUTION CREEK	1A17P	1690	01	-	731	407	701	930	295	574	21
LONGWORTH (UPPER)	1A05	1740	27	208	674	346	572	890A	236	556	33
DOME MOUNTAIN	1A19	1820	31	190	632	-	-	609	530	570*	2
DOME MOUNTAIN	1A19P	1820	01	-	701	356	-	356	356	-	1
MARMOT JASPER	AL12	1830	29	87	227	115	211	211	71	145*	9
YELLOWHEAD	1A01P	1860	01	-	488	364	394	596	233	455	10
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

NECHAKO

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
SKINS LAKE	1B05	880	29	67	170	45A	66	224	35	94	39
TAHTSA LAKE	1B02	1300	30	339	1345	833	792	1209	508A	821	52
TAHTSA LAKE	1B02P	1300	01	-	1530	893	817	1177	613	903	13
KIDPRICE LAKE	4B01	1370	29	291	1106	604	587	953	420	638	49

MOUNT PONDOSY	1B08P	1400	01	-	872	628	573	750	326	578	14
NUTLI LAKE	1B07	1490	29	183	653	348	376	579	227	366*	15
MOUNT WELLS	1B01	1490	29	167	606	274	370	549B	188	385	23
MOUNT WELLS	1B01P	1490	01	-	655	341	439	555	213	426	13
MOUNT SWANNELL	1B06	1620	30	109	334	131	264	382B	88	203*	18

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
PUNZI MOUNTAIN	1C22	940	30	43	64	36	72	126	0	58	37
NAZKO	1C08	1070	Not Available			34	49	137B	6A	75	30
BIG CREEK	1C21	1140	27	21	38	26	53	100B	0	52	34
GRANITE MOUNTAIN	1C33A	1150	30	65	175	97	-	97	97	-	1
LAC LE JEUNE (LOWER)	1C07	1370	30	44	134	92	16	208	16	81	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	187	654	420	262	688	262	449*	11
SHOVELNOSE MOUNTAIN	1C29	1450	30	73	246	115	48	307	48	202	27

BRALORNE	1C14	1450	30	79	242	97	44	338	0	138	36
BRENDA MINE	2F18P	1460	01	-	338	297	209	368	148	264	12
BOSS MOUNTAIN MINE	1C20P	1460	01	-	442	398	386	574	285	440	13
LAC LE JEUNE (UPPER)	1C25	1460	30	55	147	108	32	177	13	105	34
BARKERVILLE	1A03P	1520	01	-	300	161	199	351	116	253	28
MOUNT TIMOTHY	1C17	1660	01	103	310	221	232	384	92	232	40
YANKS PEAK EAST	1C41P	1670	01	-	634	465	641	761	304	595	10
GREEN MOUNTAIN	1C12P	1780	01	-	985	701	469	948	393	605	13
MCGILLIVRAY PASS	1C05	1800	31	170	580	-	383	645	150	403	54
MISSION RIDGE	1C18P	1850	01	-	648	341	247	794	232	424	20
DOWNTON LAKE (UPPER)	1C38	1890	30	249	922	596	530	980	378	610	12
TYAUGHTON CREEK (NORTH)	1C40	1950	30	150	554	300	286	654	182	265	9
BRALORNE (UPPER)	1C37	1980	30	161	584	380	344	724	314	465	12

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Lower Fraser Snow Station Map](#)

MIDDLE and LOWER FRASER

February 1, 2007

MIDDLE FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	30	43	64	36	72	126	0	58	37
NAZKO	1C08	1070	Not Available			34	49	137B	6A	75	30
BIG CREEK	1C21	1140	27	21	38	26	53	100B	0	52	34
LAC LE JEUNE (LOWER)	1C07	1370	30	44	134	92	16	208	16	81	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	187	654	420	262	688	262	449*	11
SHOVELNOSE MOUNTAIN	1C29	1450	30	73	246	115	48	307	48	202	27
BRALORNE	1C14	1450	30	79	242	97	44	338	0	138	36
BRENDA MINE	2F18P	1460	01	-	338	297	209	368	148	264	12
BOSS MOUNTAIN MINE	1C20P	1460	01	-	442	398	386	574	285	440	13
LAC LE JEUNE (UPPER)	1C25	1460	30	55	147	108	32	177	13	105	34
BARKERVILLE	1A03P	1520	01	-	300	161	199	351	116	253	28

MOUNT TIMOTHY	1C17	1660	01	103	310	221	232	384	92	232	40
YANKS PEAK EAST	1C41P	1670	01	-	634	465	641	761	304	595	10
GREEN MOUNTAIN	1C12P	1780	01	-	985	701	469	948	393	605	13
MCGILLIVRAY PASS	1C05	1800	31	170	580	-	383	645	150	403	54
MISSION RIDGE	1C18P	1850	01	-	648	341	247	794	232	424	20
DOWNTON LAKE (UPPER)	1C38	1890	30	249	922	596	530	980	378	610	12
TYAUGHTON CREEK (NORTH)	1C40	1950	30	150	554	300	286	654	182	265	9
BRALORNE (UPPER)	1C37	1980	30	161	584	380	344	724	314	465	12

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LOWER FRASER

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
WOLVERINE CREEK	1D13	300	30	38	103	0T	42	270	0T	99*	31
SUMMALLO RIVER WEST	3D01C	790	27	85	262	60	11	368	0	242	14
CALLAGHAN CREEK	3A20	1040	29	260	1040	570	198	879	50	577	23
DISAPPOINTMENT LAKE	1D18P	1040	29	-	1650P	1385P	295P	1597	295P	952*	7
DICKSON LAKE	1D16	1070	27	370	1538	1308	206	1308	206	918	14

DOG MOUNTAIN	3A10	1080	31	291	1204	959	206	1187Z	206	731	23
BEAVER PASS	WA12	1120	28	211	810	-	132	922	36	489*	37
KLESILKWA	3D03A	1130	27	105	375	-	0	508	0	257	51
SPUZZUM CREEK	1D19P	1180	01	-	1703	1294	300	1804E	300	1026*	8
STAVE LAKE	1D08	1210	27	342	1448	1308	213	1430	163	907	36
WAHLEACH LAKE	1D09P	1400	01	-	878	805	314	1036	314	780	14
WAHLEACH LAKE	1D09	1400	27	139	505	469	56	815	33	396	38
NAHATLATCH RIVER	1D10	1520	27	282	1070	1100A	311	1359	262	893	33
EASY PASS	WA13	1580	26	381	1524	1316B	-	2184	279	1160*	31
CHILLIWACK RIVER	1D17P	1600	01	-	1425	1166	368	1668	368	1000*	15
GREAT BEAR	1D15P	1660	01	-	1523	1204	544	1391	544	1143	14
TENQUILLE LAKE	1D06P	1680	01	-	1092	754	540	881	450	642*	6
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

SKAGIT

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
SUMALLO RIVER WEST	3D01C	790	27	85	262	60	11	368	0	242	14
FREEZEOUT CREEK TRAIL	WA11	1070	28	96	330	-	51	462	13	218*	36
BEAVER PASS	WA12	1120	28	211	810	-	132	922	36	489*	37
KLESILKWA	3D03A	1130	27	105	375	-	0	508	0	257	51
HARTS PASS	WA09P	1980	01	-	973	790	305	1005P	305	642*	9
HARTS PASS	WA09	1980	26	269	1016	-	356B	1328	246	775*	51

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Thompson Snow Station Map](#)

THOMPSON

February 1, 2007

NORTH THOMPSON

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
BLUE RIVER	1E01B	670	29	129	380	120A	234	340	98	250	23
KNOUFF LAKE	1E05	1200	30	51	130	94	104	229	38	114	47
COOK CREEK	1E14P	1280	01	-	589	375	383	413	248	356*	7
BOSS MOUNTAIN MINE	1C20P	1460	01	-	442	398	386	574	285	440	13
MOUNT COOK	1E02P	1550	01	-	1002	-	920A	938	600	779*	5
AZURE RIVER	1E08P	1620	01	-	953	863	848	998	506	835	10
ADAMS RIVER	1E07	1720	27	172	558	444	478	654	285	452	26
KOSTAL LAKE	1E10P	1770	01	-	638	582	717	764	415	620	22

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SOUTH THOMPSON**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
ANGLEMONT	1F02	1190	29	115	338	222	246	483	130A	274	47
ABERDEEN LAKE	1F01A	1310	01	57	124	99	109	193	48	119	52
MONASHEE PASS	2E01	1370	27	87	226	191	238	364	122	245	47
CELISTA	1F06P	1500	01	-	788	-	660	660	660	-	1
ADAMS RIVER	1E07	1720	27	172	558	444	478	654	285	452	26
KIRBYVILLE LAKE	2A25	1750	28	285	1025	870	780A	1160	381	810	31
SILVER STAR MOUNTAIN	2F10	1840	29	164	534	536	509	721	229	507	48
PARK MOUNTAIN	1F03P	1890	01	-	593	581	675	867	331	602	22
ENDERBY	1F04	1900	03	206	780	751	648	932	348	691	44

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

MIDDLE FRASER**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
PUNTZI MOUNTAIN	1C22	940	30	43	64	36	72	126	0	58	37
NAZKO	1C08	1070	Not Available			34	49	137B	6A	75	30
BIG CREEK	1C21	1140	27	21	38	26	53	100B	0	52	34
GRANITE MOUNTAIN	1C33A	1150	30	65	175	97	-	97	97	-	1
LAC LE JEUNE (LOWER)	1C07	1370	30	44	134	92	16	208	16	81	50
BRIDGE GLACIER (LOWER)	1C39	1400	30	187	654	420	262	688	262	449*	11
SHOVELNOSE MOUNTAIN	1C29	1450	30	73	246	115	48	307	48	202	27
BRALORNE	1C14	1450	30	79	242	97	44	338	0	138	36
BRENDA MINE	2F18P	1460	01	-	338	297	209	368	148	264	12
BOSS MOUNTAIN MINE	1C20P	1460	01	-	442	398	386	574	285	440	13
LAC LE JEUNE (UPPER)	1C25	1460	30	55	147	108	32	177	13	105	34
BARKERVILLE	1A03P	1520	01	-	300	161	199	351	116	253	28
MOUNT TIMOTHY	1C17	1660	01	103	310	221	232	384	92	232	40
YANKS PEAK EAST	1C41P	1670	01	-	634	465	641	761	304	595	10
GREEN MOUNTAIN	1C12P	1780	01	-	985	701	469	948	393	605	13
MCGILLIVRAY PASS	1C05	1800	31	170	580	-	383	645	150	403	54
MISSION RIDGE	1C18P	1850	01	-	648	341	247	794	232	424	20

DOWNTON LAKE (UPPER)	1C38	1890	30	249	922	596	530	980	378	610	12
TYAUGHTON CREEK (NORTH)	1C40	1950	30	150	554	300	286	654	182	265	9
BRALORNE (UPPER)	1C37	1980	30	161	584	380	344	724	314	465	12

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Columbia Snow Station Map](#)

COLUMBIA

February 1, 2007

UPPER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
CANOE RIVER	2A01A	910	25	57	146B	42B	17	140	17	90	32
DOWNIE SLIDE (LOWER)	2A27	980	28	209	672	504	412	740	256	509	25
GLACIER	2A02	1250	29	173	643	340	437	828	241	494	66
FIELD	2A03A	1280	29	70	169	108	117	233	46	133	67
SUNWAPTA FALLS	AL11	1400	29	78	181	96	160	254	48B	140*	34
VERMONT CREEK	2A19	1520	02	119	386	271	216	574	102	320	37
AZURE RIVER	1E08P	1620	01	-	953	863	848	998	506	835	10
DOWNIE SLIDE (UPPER)	2A29	1630	28	329	1250	1090	888	1422	466	933	25
KICKING HORSE	2A07	1650	29	99	282	196	190	384	102	248	60
KIRBYVILLE LAKE	2A25	1750	28	285	1025	870	780A	1160	381	810	31

MOUNT REVELSTOKE	2A06P	1830	02	-	1035	806	829	1140	511	850	13
FIDELITY MOUNTAIN	2A17	1870	27	284	1054	718	919	1376	430	867	44
BEAVERFOOT	2A11	1890	02	80	202	104	140	249	78	154	38
KEYSTONE CREEK	2A18	1890	28	204	720	561	502	866	290	548	37
GOLDSTREAM	2A16	1920	28	263	940	850	708	1136	460	793	38
NIGEL CREEK	AL10	1920	29	134	447	227	272	528	94B	290*	34
BUSH RIVER	2A23	1920	28	205	740	536	610A	902	292	598	38
MOLSON CREEK	2A21P	1980	01	-	1054	806	758	1155	417	760	25
MOUNT ABBOT	2A14	1980	28	295	1130	740	848	1209	396	842	48
SUNBEAM LAKE	2A22	2010	28	211	756	652	-	886	348	642	38
MIRROR LAKE	AL06	2030	29	98	312	175	213	348	79	211*	39
BOW SUMMIT II	AL07A	2080	31	112	346	229	305	480	86B	262*	26

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LOWER COLUMBIA

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
FERGUSON	2D02	880	26	176	569	345	358	616	237	420	35
BAIRD	WA02	980	31	66	145	196	127	295	20	151*	47
FARRON	2B02A	1220	05	83	259	263	198	346	63	232	33

MONASHEE PASS	2E01	1370	27	87	226	191	238	364	122	245	47
WHATSHAN (UPPER)	2B05	1480	Not Measured			-	462	759	249	479	33
BARNES CREEK	2B06P	1620	01	-	356	323	428	566	195	378	14
BARNES CREEK	2B06	1620	27	123	316	314	408	612	196	365	39
ST. LEON CREEK	2B08	1800	27	276	972	-	765	1247	474	878	35
ST. LEON CREEK	2B08P	1800	01	-	836	641	735	1092	311	755	12
KOCH CREEK	2B07	1860	27	167	545	-	-	708	203	501	32
RECORD MOUNTAIN	2B09	1890	28	157	580	593	406A	802	117	482	32
EAST CREEK	2D08P	2030	03	-	746	681	683	1012	274	654	26

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Columbia Snow Station Map](#)

KOOTENAY

February 1, 2007

EAST KOOTENAY

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
FERNIE EAST	2C07	1250	29	82	225	221	78	467	51	234	53
SULLIVAN MINE	2C04	1550	01	88	236	176	122	397	46	217	61
VERMILION RIVER NO. 3	2C20	1570	26	95	238	150	174	363	130	217	11
WEASEL DIVIDE	MT02	1660	31	173	546	599	399	858	185	530*	23
BANFIELD MOUNTAIN	MT05P	1710	01	-	315	340	160	475	160	315*	9
MOUNT JOFFRE	2C16	1750	02	82	236	213	236	439	96	265	33
MORRISSEY RIDGE	2C09A	1800	04	127	414	586	270	786	270	477	15
MORRISSEY RIDGE	2C09Q	1800	01	-	397	529	334	886	172	495	23
MOYIE MOUNTAIN	2C10P	1930	01	-	368	341	225	499	104	267	26

HAWKINS LAKE	MT06P	1970	01	-	508	432	249	612	201	383*	9
ALLISON PASS	AL01	1980	29	92	287	325	196	521	133	311*	17
THUNDER CREEK	2C17	2010	02	76	200	195	149	335	69	193	33
FLOE LAKE	2C14P	2090	01	-	566	424	484	731	221	510	12
FLOE LAKE	2C14	2090	02	166	612	454	516	811	239	548	35
HIGHWOOD SUMMIT (BUSH)	AL02	2210	30	93	282	226	275	480	89	263*	27
SUNSHINE VILLAGE	AL05	2230	05	138	350	358	378	678	150	396*	21
MOUNT ASSINIBOINE	2C15	2230	02	131	408	-	302	592	140	375	34

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

WEST KOOTENAY

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
DUNCAN LAKE NO. 2	2D07A	650	31	74	187	60	102	283	60	128*	16
FERGUSON	2D02	880	26	176	569	345	358	616	237	420	35
NELSON	2D04	930	30	105	321	204	180	508	79	276	68
CHAR CREEK	2D06	1310	01	123	380	453Z	260	650	117	381	41
BUNCHGRASS MEADOW	WA01P	1520	01	-	409	627	345	719	259	507*	9

GRAY CREEK (LOWER)	2D05	1550	Not Available			-	216	511	127	326	55
KOCH CREEK	2B07	1860	27	167	545	-	-	708	203	501	32
MOUNT TEMPLEMAN	2D09	1860	02	228	862	-	-	1115	409	748	34
GRAY CREEK (UPPER)	2D10	1910	Not Available			-	382	792	268	527	35
EAST CREEK	2D08P	2030	03	-	746	681	683	1012	274	654	26
REDFISH CREEK	2D14P	2104	01	-	961	848	776	1024	653	809*	5

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Okanagan Snow Station Map](#)

KETTLE, OKANAGAN and SIMILKAMEEN

February 1, 2007

KETTLE

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
GOAT CREEK	WA04	1220	30	58	137	168	122	224	20	133*	45
FARRON	2B02A	1220	05	83	259	263	198	346	63	232	33
MONASHEE PASS	2E01	1370	27	87	226	191	238	364	122	245	47
SUMMIT G.S.	WA05	1400	30	79	185	216	150	244	41	150*	45
BIG WHITE MOUNTAIN	2E03	1680	31	111	328	398	324	483	178	339	41
GRANO CREEK	2E07P	1860	01	-	379	398	363	465	180	341*	9

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

OKANAGAN

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
MC CULLOCH	2F03	1280	31	59	126	134	94	196	57	125	70
SUMMERLAND RESERVOIR	2F02	1280	30	85	251	172	126	307	65	174	42
ABERDEEN LAKE	1F01A	1310	01	57	124	99	109	193	48	119	52
OYAMA LAKE	2F19	1340	31	55	126	113	105	193	31	129	37
POSTILL LAKE	2F07	1370	29	63	167	141	124	243	73	147	56
TROUT CREEK	2F01	1430	02	69	181	130A	101	292	33A	141	69
BRENDA MINE	2F18P	1460	01	-	338	297	209	368	148	264	12
ISLAHT LAKE	2F24	1480	01	100	317	290	157	364	124	235	23
GREYBACK RESERVOIR	2F08	1550	01	65	162	160	145	269	60	160	36
ISINTOK LAKE	2F11	1680	30	54	123	106	66	307	26	133	41
MUTTON CREEK NO. 1	WA07	1740	26	112	376	295	102	480	43	245*	41
MISSION CREEK	2F05P	1780	01	-	304	315	416	495	152	312	35
MOUNT KOBAN	2F12	1810	27	89	265	215	152	373	43	201	40
GRAYSTOKE LAKE	2F04	1810	Not Available			200A	248A	324	128	237*	8
WHITEROCKS MOUNTAIN	2F09	1830	27	141	450	464	257A	693	135	399	35
SILVER STAR MOUNTAIN	2F10	1840	29	164	534	536	509	721	229	507	48

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

SIMILKAMEEN**Snow Survey Measurements**

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
FREEZEOUT CREEK TRAIL	WA11	1070	28	96	330	-	51	462	13	218*	36
HAMILTON HILL	2G06	1490	27	90	307	132	91	411	91	258	43
MISSEZULA MOUNTAIN	2G05	1550	27	73	211	92	80	284	60	174	40
ISINTOK LAKE	2F11	1680	30	54	123	106	66	307	26	133	41
LOST HORSE MOUNTAIN	2G04	1920	29	72	219	90A	98	335	70	165	46
BLACKWALL PEAK	2G03P	1940	01	-	776	548	281	1076	159	595	39
HARTS PASS	WA09P	1980	01	-	973	790	305	1005P	305	642*	9
HARTS PASS	WA09	1980	26	269	1016	-	356B	1328	246	775*	51
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											



[Go to Coastal B.C. Snow Station Map](#)

COASTAL

February 1, 2007

SOUTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
PALISADE LAKE	3A09P	880	Not Available		-	-	790	700	745*	2	
CALLAGHAN CREEK	3A20	1040	29	260	1040	570	198	879	50	577	23
DOG MOUNTAIN	3A10	1080	31	291	1204	959	206	1187Z	206	731	23
GROUSE MOUNTAIN	3A01	1100	31	311	1322	958	320	1530Z	50	762	57
ORCHID LAKE	3A19	1190	29	443	1855	1510A	448B	1624	408	1141	28
ORCHID LAKE	3A19P	1190	Not Available		-	396	1859	396	1177*	19	
UPPER SQUAMISH RIVER	3A25P	1340	01	-	1478	1136	555	1510	555	1025	15
NOSTETUKO RIVER	3A22P	1500	01	-	780	308	120	628	120	383*	17

UPPER MOSELY CREEK	3A24P	1650	01	-	413	206	255	509	101	233*	18
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

VANCOUVER ISLAND

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
ELK RIVER	3B04	270	30	55	200	0	0	544	0	96	47
WOLF RIVER (LOWER)	3B19	640	30	115	412	378	0	528	0	248	34
WOLF RIVER (MIDDLE)	3B18	1070	30	168	626	628	0	742	0	401	35
FORBIDDEN PLATEAU	3B01	1130	30	368	1551	1242	42	1640	42	955	51
JUMP CREEK	3B23P	1160	01	-	1331	735	8	1251	8	710	11
WOLF RIVER (UPPER)	3B17P	1490	01	-	1353	1036	162	1371	162	881	17
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

NORTH COASTAL

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
TAHTSA LAKE	1B02	1300	30	339	1345	833	792	1209	508A	821	52
TAHTSA LAKE	1B02P	1300	01	-	1530	893	817	1177	613	903	13
BURNT BRIDGE CREEK	3C08P	1330	01	-	1024	488	686	746	240	543*	9
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											



[Go to Northeast Snow Station Map](#)

NORTH EAST

February 1, 2007

PEACE

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
FORT ST. JOHN A	4A25	690	28	53	152	22	70	154	22	84	33
PACIFIC LAKE	1A11	770	27	195	666	262	345	679	179	451	39
BULLHEAD MOUNTAIN	4A28	790	Not Available			0T	78	149	0T	70	23
PHILIP LAKE	4A13	980	28	112	355	136	177	353	118	202	40
WARE (LOWER)	4A04	980	29	72	174	111	159	286	63	135	38
AIKEN LAKE	4A30P	1040	01	-	248	116	180	330	116	197	20
TUTIZZI LAKE	4A06	1070	28	100	271	142	187	348	109	186	38
TSAYDAYCHI LAKE	4A12	1160	28	137	442	208	283	507	146	276	39
PINK MOUNTAIN	4A14	1170	Not Available			-	80	138	10A	62	30
KAZA LAKE	1A12	1190	28	100	297	192	-	440	125	239	36
FREDRICKSON LAKE	4A10	1310	28	88	222	155	221	309	110	179	38

PULPIT LAKE	4A09P	1310	01	-	366	235	332	405	232	310	16
PULPIT LAKE	4A09	1310	29	124	377	264	311	530	190	298	35
TRYGVE LAKE	4A11	1400	28	120	342	271	266	434	183	258	37
SIKANNI LAKE	4C01	1400	29	93	257	126	208	325	81	185	37
PINE PASS	4A02P	1400	01	-	957	664	832	1241	469	745	15
PINE PASS	4A02	1430	27	301	1049	848	788	1194	411	809	35
MORFEE MOUNTAIN	4A16	1450	28	207	709	354	607	952	323	599	38
LADY LAURIER LAKE	4A07	1460	30	158	541	321	368	635	226	357	35
MOUNT SHEBA	4A18	1490	27	246	932	386	531	918	299	570	37
GERMANSEN (UPPER)	4A05	1500	28	119	354	178	215	371	140	239	38
MOUNT STEARNS	4A21	1500	29	72	187	40	103	196	40	101	32
JOHANSON LAKE	4B02	1540	28	104	265	161	249	355	115	208	36
MONKMAN CREEK	4A20	1550	27	170	668	-	380	775	163	409	28
WARE (UPPER)	4A03	1570	29	90	247	138	180	289	108	182	36
KWADACHA RIVER	4A27P	1620	01	-	233	199	225	371	139	237*	21

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

LIARD

Snow Survey Measurements

WATER EQUIVALENT (mm)

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	2007	2006	2005	Max.	Min.	Normal	No. Years Record
FORT NELSON A	4C05	380	01	40	72	35	56	128	35	80	41
DEASE LAKE	4C03	820	31	54	85A	55	83	202	36	106	42
JADE CITY	4C15	940	30	73	164	102	196	196	102	156*	5
DEADWOOD RIVER	4C09P	1300	01	-	101	60	168	207	60	105*	12
SIKANNI LAKE	4C01	1400	29	93	257	126	208	325	81	185	37

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE



[Go to Northwest Snow Station Map](#)

NORTH WEST

February 1, 2007

STIKINE/TAKU

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
NINGUNSAW PASS	4B10	690	01	150	423	192	354	603	171	319	32
DEASE LAKE	4C03	820	31	54	85A	55	83	202	36	106	42
ISKUT	4D02	1000	02	51	100A	57	66	162	30	87	33
KINASKAN LAKE	4D11P	1020	01	-	409	214	285	516	155	274*	16
TUMEKA CREEK	4D10P	1220	01	-	529	-	428	744	274	439*	16
WADE LAKE	4D14P	1370	01	-	184	229	274	410	125	252*	15
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

YUKON

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
A - SAMPLING PROBLEMS WERE ENCOUNTERED											
B - EARLY OR LATE SAMPLING											
C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED											
E - ESTIMATED BASED ON AREAL AVERAGE											
* - PERIOD OF RECORD AVERAGE											

SKEENA/NASS

Snow Survey Measurements

Drainage Basin and Snow Course	Station Number	Elev m	Date of Survey	Snow Depth cm	WATER EQUIVALENT (mm)						No. Years Record
					2007	2006	2005	Max.	Min.	Normal	
TERRACE A	4B13A	180	31	74	237	26	0T	274	0T	124*	27
BEAR PASS	4B11A	460	Not Available			361	391	821	192	505	22
NINGUNSAW PASS	4B10	690	01	150	423	192	354	603	171	319	32
GRANDUC MINE	4B12P	790	02	-	1639	-	1279	1279	1275	1277*	2
CEDAR-KITEEN	4B18P	885	01	-	709	319	630	630	259	423*	5
TACHEK CREEK	4B06	1140	29	99	298	104	122	194	99	160	11
KAZA LAKE	1A12	1190	28	100	297	192	-	440	125	239	36
LU LAKE	4B15	1300	31	116	352	-	-	306	134	210	11
LU LAKE	4B15P	1310	01	-	353	161	188	281	94	166*	8
TSAI CREEK	4B17P	1360	01	-	1227	795	668	1151	619	753*	9

KIDPRICE LAKE	4B01	1370	29	291	1106	604	587	953	420	638	49
TRYGVE LAKE	4A11	1400	28	120	342	271	266	434	183	258	37
EQUITY MINE	4B14	1420	31	134	444	-	-	332	174	290	12
SHEDIN CREEK	4B16P	1480	01	-	638	533	671	720	491	611*	10
HUDSON BAY MTN.	4B03A	1480	31	160	532	276	304	665	221	379	35
JOHANSON LAKE	4B02	1540	28	104	265	161	249	355	115	208	36

A - SAMPLING PROBLEMS WERE ENCOUNTERED

B - EARLY OR LATE SAMPLING

C - EARLY OR LATE SAMPLING WITH PROBLEMS ENCOUNTERED

E - ESTIMATED BASED ON AREAL AVERAGE

* - PERIOD OF RECORD AVERAGE

River Forecast Centre Ministry of Environment

Basin Snow Water Index

Feb 1, 2007

Basin Snow Water Index

Percent of Long-Term Average

